



Dr.G.R.Damodaran College of Science

(Autonomous, affiliated to the Bharathiar University, recognized by the UGC)Re-
accredited at the 'A' Grade Level by the **NAAC** and ISO 9001:2008 Certified
CRISL rated 'A' (TN) for MBA and MIB Programmes

II B.Com[IT] [2016-2019]
Semester III
Core:VISUAL BASIC -315C
Multiple Choice Questions.

1. One or more option button controls can be selected from _____ choices.
- A. multiple.
 - B. single.
 - C. dual.
 - D. parallel.

ANSWER: A

2. _____ bar contains a set of tools to provide controls in the Form.
- A. Status.
 - B. Tool
 - C. Menu.
 - D. Progress.

ANSWER: C

3. The input to a User-defined function can consist of _____
- A. a single value
 - B. One or More values
 - C. No values
 - D. All the above

ANSWER: D

4. When a User clicks a button _____ is triggered.
- A. An event
 - B. A Method
 - C. A Setting
 - D. A Property

ANSWER: A

5. A module-level is available to all the _____ in the module.
- A. data.
 - B. procedures.
 - C. event.
 - D. task.

ANSWER: B

6. which of the following is a Valid Variable Name
- A. Two_One

- B. 2One
 - C. Two One
 - D. Two.One
- ANSWER: A

7. Code window consists of a _____ box and procedure list box.

- A. object.
- B. event.
- C. tool.
- D. message.

ANSWER: A

8. Variables declared inside the Procedure are said to have_____

- A. local scope
- B. procedural level scope
- C. global level scope
- D. None of the above

ANSWER: A

9. The variable that does not change the value during execution of program is_____

- A. Numeric
- B. /string
- C. constant
- D. None of the above

ANSWER: C

10. MDI stands for_____

- A. Multiple document interfcae
- B. Multiple design interfcae
- C. Manipulated document interfce
- D. Menu design interface

ANSWER: A

11. Properties are used to represent_____

- A. actions
- B. classes
- C. data
- D. events

ANSWER: A

12. ____ function translates a numeric value to a variable.

- A. Message.
- B. Build In.
- C. Val.
- D. Mod.

ANSWER: C

13. The first procedure-oriented language was_____

- A. FORTRAN
- B. BASIC
- C. COBOL

D. ADA
ANSWER: A

14. All the controls in an array will have the same _____.
A. Value.
B. properties.
C. address.
D. location

ANSWER: B

15. The _____property in Visual basic is common for many a tools.
A. location.
B. place.
C. window status.
D. name.

ANSWER: D

16. Option button can be grouped in a _____control.
A. label.
B. text box.
C. frame.
D. check box.

ANSWER: C

17. A _____ bar appears in the top of the screen.
A. title.
B. menu.
C. tool.
D. debug.

ANSWER: A

18. A menu can include a maximum of ____ levels of sub menus.
A. 2.
B. 4.
C. 6.
D. 8.

ANSWER: C

19. _____ is a tool used in visual basic to draw rectangle in the form.
A. Textbox.
B. Option button.
C. Command button.
D. Shape.

ANSWER: D

20. In visual basic _____ is the extension to represent project file.
A. .frm.
B. .vbp.
C. .cls.
D. .txt.

ANSWER: B

21. In default ____ numbers of tools exist in toolbox.

- A. 20.
- B. 15.
- C. 10.
- D. 8.

ANSWER: A

22. ____ method removes a dialog box from view.

- A. Display.
- B. Active.
- C. Hide.
- D. Enabled.

ANSWER: C

23. The ____ property of a form automatically sizes the picture loaded to it.

- A. auto size.
- B. default.
- C. size.
- D. height.

ANSWER: A

24. The ____ control used to insert image to the form.

- A. text box.
- B. shape.
- C. option.
- D. picture.

ANSWER: D

25. There can be only ____ MDI form in an application.

- A. four.
- B. two.
- C. one.
- D. zero.

ANSWER: C

26. In Visual basic more than one child ____ is allowed to add in project.

- A. form.
- B. window.
- C. property.
- D. codings.

ANSWER: A

27. The ____ keyboard refers to current form in Vb project.

- A. me.
- B. current.
- C. form.
- D. case.

ANSWER: A

28. Scroll bar is of ____ types in Visual basic for usage.

- A. four
- B. two
- C. five.
- D. six.

ANSWER: B

29. The width of any tool in visual basic can be changed at ____ time.

- A. run.
- B. debug.
- C. design.
- D. edit.

ANSWER: C

30. The Visual basic programming is _____ based programming concept in general.

- A. CUI.
- B. logical.
- C. concept.
- D. GUI.

ANSWER: D

31. . The IDE stands for _____.

- A. Integrated Development Environment.
- B. Integer Development Environment.
- C. Information Development Environment
- D. Internal Development Environment.

ANSWER: A

32. The _____ is a tool used for both the Input and output purpose.

- A. command button.
- B. text box.
- C. label.
- D. list box.

ANSWER: B

33. ____ is a tool used in form window for grouping the option button.

- A. Label.
- B. Group.
- C. Frame.
- D. Shape.

ANSWER: C

34. The _____ menu used for adding tools in to existing tools box.

- A. file.
- B. view.
- C. project.
- D. format.

ANSWER: C

35. In visual basic the declaration of variables is done by _____ key word.

- A. int.
- B. dim.

- C. else
 - D. declare.
- ANSWER: B

36. In VB the main form consist of more than one sub form is called ____.

- A. subordinate.
- B. child.
- C. super.
- D. second level.

ANSWER: B

37. Among the events in VB, the Load event is associated with ____ .

- A. command button.
- B. label.
- C. text box.
- D. form.

ANSWER: D

38. ____ window is used to align the form execution in desired position or location.

- A. form layout.
- B. property.
- C. project explorer.
- D. coding.

ANSWER: A

39. ____ event will execute automatically at the activation of the tool.

- A. GotFocus
- B. LostFocus
- C. Enabled.
- D. Click.

ANSWER: A

40. The ____ key is used as control key on moving around the form without mouse.

- A. Spacebar.
- B. enter.
- C. shift
- D. tab.

ANSWER: D

41. In visual basic the ____ file consist of complete coding and form design.

- A. project.
- B. form.
- C. class.
- D. module.

ANSWER: A

42. Self Length Property is supported by ____ control in VB.

- A. label.
- B. text box.
- C. command button.
- D. option button.

ANSWER: B

43. In multiple form based project the current form represented by ___ keyword.

- A. me.
- B. load.
- C. class.
- D. form.

ANSWER: A

44. Like text box, _____ is another tool used for display / output the information.

- A. input box.
- B. frame.
- C. label.
- D. message box.

ANSWER: D

45. _____ property is used to hide the tool in run time by setting value as false.

- A. visible.
- B. enabled.
- C. hide.
- D. delete.

ANSWER: A

46. SDI stands for _____.

- A. Simple Document Interface.
- B. Single Document Interface.
- C. Sample Document Interface.
- D. Simple Document Internal.

ANSWER: B

47. _____ is a command used to come out of the loop.

- A. break.
- B. continue.
- C. case.
- D. elseif.

ANSWER: A

48. ___ boxes display information in a dialog box superimposed on the form.

- A. Input.
- B. Message.
- C. Text.
- D. List.

ANSWER: B

49. In VB the order in which you create the controls is the order used by using _____ key

- A. tab.
- B. Spacebar.
- C. caps.
- D. scroll.

ANSWER: A

50. In visual basic the _____ value is equivalent to the vb YES NO button in message box.

- A. 2.
- B. 4.
- C. 6
- D. 8.

ANSWER: B

51. The F5 is key pressed the _____ event of form is executed first.

- A. activate.
- B. got focus.
- C. initialize.
- D. paint procedure.

ANSWER: C

52. ASCII stands for _____.

- A. American Standard Code for Information Interchange.
- B. American Source Code for Information Interchange.
- C. American Source Code for Information Interface.
- D. American Standard Code for Interval Interface.

ANSWER: A

53. The right hand drop down list box in the coding window is called _____ list box.

- A. procedure.
- B. event.
- C. task.
- D. content.

ANSWER: A

54. In visual basic the, Visible property consists _____ state.

- A. 6.
- B. 4.
- C. 2.
- D. 1.

ANSWER: C

55. In data type the _____ prefix used to represent the Boolean data.

- A. bcl.
- B. bln.
- C. bct.
- D. bty.

ANSWER: B

56. The _____ function returns a string stored in a variant data type.

- A. Chr.
- B. Str.
- C. Char.
- D. String.

ANSWER: A

57. GUI stands for _____.

- A. Graphical User Interface.

- B. Graphical User Internal.
- C. Graphical User Information.
- D. Graphical User Interchange.

ANSWER: A

58. ____ option in project explorer window used display the coding of the program.

- A. View object.
- B. View code.
- C. View source.
- D. View design.

ANSWER: B

59. To open the property window for usage ____ shortcut key is used.

- A. F3.
- B. F2.
- C. F5.
- D. F4.

ANSWER: D

60. The ____ property is used in VB for maximum form at run time.

- A. window status.
- B. caption.
- C. name.
- D. window resize.

ANSWER: A

61. The ____ is a shortcut key used to replace the content by specific data in coding window.

- A. Ctrl + F.
- B. Ctrl + H.
- C. Ctrl + Z.
- D. Ctrl + U.

ANSWER: B

62. In declaration a variables ____ length of characters is allotted for a variable.

- A. 32.
- B. 64.
- C. 255.
- D. 128.

ANSWER: C

63. From the following ____ tool is used to display pictures in VB form.

- A. picture.
- B. shape.
- C. list box.
- D. check box.

ANSWER: A

64. ____ is property is used to hide the content in textbox with some symbols.

- A. Name.
- B. caption.
- C. hidden.

D. password char.

ANSWER: D

65. ____ property is used to set the flow of control in between the multiple controls.

- A. Index.
- B. Tab Value.
- C. Tab Index.
- D. Value.

ANSWER: C

66. The ____ is the function is used to display the picture using picture box.

- A. picture().
- B. load picture().
- C. pic().
- D. display picture().

ANSWER: B

67. The ____ concept is used to check for multiple conditions in VB.

- A. for....loop.
- B. if.
- C. if elseif
- D. while.

ANSWER: C

68. In the following logic, the condition is check at the end of the loop.

- A. If.then.
- B. For.
- C. While.
- D. do_While.

ANSWER: D

69. In for_loop operation ____ keyword is used to increment the value of variable for execution.

- A. else.
- B. step.
- C. incr.
- D. select.

ANSWER: B

70. ____ is the keyword represents the end of the for_loop in Visual basic.

- A. next.
- B. end.
- C. close.
- D. stop.

ANSWER: A

71. The ____ type of operator is used for checking comparing values.

- A. bits wise.
- B. logic.
- C. relational.
- D. arithmetic.

ANSWER: C

72. The ____ is a keyword is used to combine two conditions for checking at same time.

- A. or.
- B. and.
- C. else.
- D. loop.

ANSWER: B

73. The ____ statement is used to change the control to specified location without any condition.

- A. goto.
- B. select.
- C. else if.
- D. while.

ANSWER: A

74. In list box concept ____ function is used to insert item to the list.

- A. addlist().
- B. additem().
- C. addcount().
- D. adddata().

ANSWER: B

75. ____ function is used to delete all the data items be completely removed.

- A. list().
- B. listdel().
- C. listclear().
- D. listremove().

ANSWER: C

76. A complete repaint of a form or control can be enforced by _____ method.

- A. refresh.
- B. fresh.
- C. show.
- D. hide.

ANSWER: A

77. _____ event is fired when there is a change in the contents of the text box.

- A. Click.
- B. Got focus.
- C. Lost focus.
- D. Change.

ANSWER: D

78. The _____ event occurs when the form is closed by the user.

- A. load.
- B. click.
- C. double click.
- D. unload.

ANSWER: D

79. The _____ method is used to display a form object.

- A. show.
- B. hide.
- C. control.
- D. list.

ANSWER: A

80. Visual basic project files are saved with an extension _____.

- A. .vbp
- B. .lmp
- C. .bvp
- D. .frm

ANSWER: A

81. Form files are saved with an extension _____.

- A. .frm.
- B. .prj.
- C. .vbp.
- D. .rfm.

ANSWER: A

82. The _____ statement first executes the statements and then tests the condition after each execution.

- A. do-until.
- B. do-loop while.
- C. select-case.
- D. if endif.

ANSWER: B

83. The _____ function with symbols representing the date and time is used to print the formatted dates and times.

- A. String.
- B. Format.
- C. Val.
- D. date.

ANSWER: B

84. _____ is the function used to compare two strings.

- A. Strinv.
- B. StrComp.
- C. CompStr.
- D. String.

ANSWER: B

85. The _____ function returns the intervals between two dates in terms of years, months or days.

- A. datediff.
- B. dateiff.
- C. diffdate.
- D. dateinter.

ANSWER: A

86. The _____ function returns the length of string.

- A. length.

- B. len.
- C. strlen.
- D. lenstr.

ANSWER: B

87. _____ function returns a Variant (Long) specifying the position of the first occurrence of one string within another.

- A. StrIn.
- B. InStr.
- C. StrVar.
- D. VarStr.

ANSWER: B

88. A Combobox combines the feature of _____ and _____.

- A. listbox,optionbutton.
- B. textbox,checkbox.
- C. listbox,scrollbar.
- D. textbox, listbox.

ANSWER: D

89. _____ method removes list entries from a list box at run time.

- A. Item remove.
- B. Delete.
- C. Remove item.
- D. Erase.

ANSWER: B

90. Control arrays are added at run time using _____ statement.

- A. unload object.
- B. load object.
- C. form load.
- D. form unload.

ANSWER: B

91. _____ statement removes a control from an array.

- A. Unload Object.
- B. Load Object.
- C. Form Load.
- D. Form Unload.

ANSWER: A

92. _____ is displayed as a horizontal line between items on a menu bar.

- A. Horizontal Bar.
- B. Separator Bar.
- C. Vertical Bar.
- D. Split Bar.

ANSWER: B

93. Check mark can be placed on a menu item using _____ property.

- A. checked.
- B. unchecked.

C. caption.

D. text.

ANSWER: A

94. _____ and _____ functions are used to add predefined dialog boxes.

A. Input() and MsgBox()

B. MsgBox() and Listbox()

C. Combobox() and Input()

D. Input() and Listbox()

ANSWER: A

95. _____ method sets the colour of an individual pixel.

A. Reset

B. Set

C. Point

D. Fixed

ANSWER: B

96. The point method returns the _____ of a particular pixel.

A. color

B. position

C. coordinate

D. center point

ANSWER: A

97. _____ event occurs whenever the size of the form is changed.

A. Size

B. Change

C. Resize

D. Fixed

ANSWER: C

98. _____ method with _____ argument is used to cascade forms.

A. Arrange, VbCascade

B. Arrange, VbFill

C. Arrange, VbUnfill

D. Arrange, Cascade

ANSWER: A

99. A cell is an intersection of _____ and _____.

A. row, rows

B. row, column

C. column, column

D. row, line

ANSWER: B

100. _____ property is set to change the height of a cell.

A. Row

B. Column

C. Column height

D. Row height

ANSWER: D

101. _____ kinds of rows and columns are created in the Ms Flex Grid control.

- A. Two
- B. One
- C. Three
- D. Four

ANSWER: A

102. The code in an application can be broken into logical components by _____ process.

- A. procedural
- B. modular
- C. function
- D. partitioning

ANSWER: D

103. _____ queries are SQL statements that perform specific actions on the database.

- A. Action
- B. Fixed
- C. Unfixed
- D. Select

ANSWER: A

104. The Data control implements data access by using the _____.

- A. Microsoft Jet Database Engine
- B. Microsoft RDO
- C. Microsoft ADO
- D. Microsoft DAO

ANSWER: A

105. Visual basic Programming is an _____ driven programming concept.

- A. task.
- B. event.
- C. flow.
- D. execution.

ANSWER: B

106. The print command in Visual basic programming is used to _____.

- A. give output
- B. print the form content
- C. display the content in form
- D. find error

ANSWER: C

107. _____ of the query designer interface displays the input sources for querying.

- A. Select
- B. Diagram
- C. Image
- D. Result

ANSWER: B

108. _____ property is used to change the label value of command button.

- A. value.
- B. caption.
- C. text.
- D. name.

ANSWER: B

109. The integer data type is range form _____ .

- A. -32,768 to 32,767
- B. -33,768 to 33768
- C. -2,147,483,648 to 2,147,483,648
- D. -,147,483,648 to 3,147,483,648

ANSWER: A

110. _____ occurs when the user presses any mouse button.

- A. MouseUp
- B. MouseDown
- C. MouseRight
- D. MouseLeft

ANSWER: B

111. _____ property of an Image control is used to automatically resize a picture and place it inside the control.

- A. Stretch
- B. Image
- C. Resize
- D. Control

ANSWER: A

112. _____ array size always remains the same.

- A. Fixed-size
- B. Dynamic
- C. Preserve
- D. Multidimension

ANSWER: A

113. _____ array size can be changed at run-time.

- A. Preserve
- B. Multidimension
- C. Fixed-size
- D. Dynamic array

ANSWER: D

114. The role of the _____ is to free the space allocated in the constructor.

- A. old
- B. new
- C. memory
- D. object

ANSWER: B

115. A _____ control variable can refer to any control on any form in an application.

- A. reset
 - B. set
 - C. static
 - D. dynamic
- ANSWER: B

116. Class modules have two events ____ and ____.

- A. initialize, terminate
 - B. initialize, interrupt
 - C. terminate, interrupt
 - D. interrupt, exception
- ANSWER: A

117. An _____ is an object that we place on a form to enable or enhance a users interaction with an application.

- A. ActiveX control
 - B. Module
 - C. Procedure
 - D. Control
- ANSWER: A

118. The changes are saved in a transaction using _____ operation.

- A. rollback
 - B. truncate
 - C. commit
 - D. store
- ANSWER: C

119. The _____ menu is used to add a new tool in the tools box.

- A. Project
 - B. File
 - C. Edit
 - D. View
- ANSWER: A

120. The _____ object to save a query definition in our application.

- A. text
 - B. label
 - C. save
 - D. command
- ANSWER: D

121. The _____ property of the file list box is updated according to the selected file type.

- A. fill
 - B. pattern
 - C. list
 - D. select
- ANSWER: B

122. A _____ access file is like a database.

- A. random

- B. sequential
- C. dynamic
- D. static

ANSWER: A

123. _____ files are accessed byte by byte.

- A. Sequential
- B. Dynamic
- C. Binary
- D. Random

ANSWER: C

124. Any _____ typed in one text box can be cut, copied and pasted in the other text box.

- A. label
- B. data
- C. text
- D. word

ANSWER: C

125. _____ defines a line in the code window where VB suspends execution of application.

- A. ErrorPoint
- B. BreakPoint
- C. CompilePoint
- D. RunPoint

ANSWER: B

126. Variables are used for storing values _____.

- A. temporarily
- B. permanently
- C. constantly
- D. variably

ANSWER: A

127. _____ statement removes the form from the display and releases its memory.

- A. Unload
- B. Load
- C. Hide
- D. Unhide

ANSWER: A

128. Date and Time are internally stores as _____ in Visual Basic.

- A. strings
- B. numbers
- C. characters
- D. symbols

ANSWER: B

129. The _____ function in VB retrieves the date and time.

- A. date
- B. now
- C. datediff

D. datenow
ANSWER: B

130. The individual elements of an array are identified using an _____.

- A. number
- B. character
- C. index
- D. value

ANSWER: C

131. A _____ variable is one that is declared inside a procedure.

- A. global
- B. external
- C. intrinsic
- D. local

ANSWER: D

132. The _____ displays a list of items from which a user can select one.

- A. listbox
- B. textbox
- C. combobox
- D. labelbox

ANSWER: A

133. _____ control executes the timer events at specified intervals of time.

- A. Timer
- B. Clock
- C. Frame
- D. Digital

ANSWER: A

134. _____ control serves as a visual and functional container for controls.

- A. ListBox
- B. Frame
- C. Combobox
- D. Labelbox

ANSWER: B

135. ComboBox contains a _____ and _____.

- A. textbox, listbox
- B. listbox, labelbox
- C. labelbox, textbox
- D. listbox, optionbox

ANSWER: A

136. MDI stands for _____.

- A. multiple document interface.
- B. multiple design interface.
- C. manipulated document interface.
- D. menu document interface.

ANSWER: A

137. _____ method sets the colour of an individual pixel.

- A. PSet
- B. LSet
- C. SSet
- D. RSet

ANSWER: A

138. _____ method paints graphics at arbitrary locations.

- A. Picture
- B. PaintPicture
- C. ImagePicture
- D. Image

ANSWER: B

139. A _____ array is a group of controls that share the same name and type.

- A. control
- B. fixed
- C. static
- D. local

ANSWER: A

140. Tooltips can be added to a button by setting a text to the _____ property of the command button.

- A. tooltip
- B. menutip
- C. listtip
- D. nametip

ANSWER: A

141. The text color of a command button can be set using the _____ property.

- A. bgcolor
- B. forecolor
- C. fillcolor
- D. listcolor

ANSWER: B

142. A shape control is a visual element that contains several _____ shapes.

- A. defined
- B. predefined
- C. lateral
- D. formlevel

ANSWER: B

143. The _____ property of controls collection returns the number of controls on the form.

- A. countline
- B. count
- C. linecount
- D. numbercount

ANSWER: B

144. _____ method is used to draw and fill boxes.

- A. Fill
- B. Draw
- C. Line
- D. Image

ANSWER: C

145. The various properties in property window are arranged in _____ order.

- A. Alphabetical
- B. Sequential
- C. Binary
- D. Descending

ANSWER: A

146. In date data type the _____ byte is require for storing data.

- A. 10
- B. 6
- C. 8
- D. 2

ANSWER: C

147. The application name always appears in the _____

- A. Properties window
- B. Intermediate window
- C. Title bar
- D. Code window

ANSWER: C

148. In visual basic controls are also called as _____

- A. Objects
- B. Rules
- C. Part of the menus
- D. Code

ANSWER: A

149. The location of the form on the desktop during execution is determined by the _____

- A. Form Designer window
- B. Project Explorer window
- C. Context Menu
- D. Form Layout window

ANSWER: D

150. The _____ control is used for checking the multiple option in given list

- A. radio button
- B. check box
- C. list box
- D. text box

ANSWER: B

Staff Name
VIJAYASHREE D.