



**Dr.G.R.Damodaran College of Science**  
(Autonomous, affiliated to the Bharathiar University, recognized by the  
UGC)Re-accredited at the 'A' Grade Level by the NAAC and ISO  
9001:2008 Certified  
CRISL rated 'A' (TN) for MBA and MIB Programmes

III BCA 'A' and 'B' [2015-2018]  
Semester VI

Core: WEB TECHNOLOGY - 606B  
Multiple Choice Questions.

1. How script can be defined?

- A. Program or sequence of instructions that is interpreted or carried out by processor directly.
- B. Program or sequence of instruction that is interpreted or carried out by another program.
- C. Program or sequence of instruction that is interpreted or carried out by web server only.
- D. Files Software Foundation.

ANSWER: B

2. When compared to the compiled program, scripts run \_\_\_\_\_.

- A. faster.
- B. slower.
- C. the execution speed is similar.
- D. medium.

ANSWER: B

3. How the first line on the page in ASP.NET termed?

- A. directive.
- B. compiler directive.
- C. tag.
- D. mode.

ANSWER: B

4. What command is used to indicate script block to run on the server side?

- A. <script runat=server>.
- B. <script run@=server>.
- C. <script run=server>.
- D. <script =server>.

ANSWER: A

5. What tag is used to insert a break in ASP.NET page?

- A. <a>.
- B. <br>.
- C. <font>.
- D. <form>.

ANSWER: B

6. The name of the control, for a tag is set by \_\_\_\_\_ property.

- A. runat.
- B. text.
- C. font.
- D. id.

ANSWER: D

7. The caption of the control is set by \_\_\_\_\_ property.

- A. text.
- B. font
- C. runat
- D. id

ANSWER: A

8. \_\_\_\_\_ property is used in conjunction with validation controls.

- A. Page-unload.
- B. IsPostBack.
- C. IsValid.
- D. Page-load.

ANSWER: C

9. . \_\_\_\_\_ namespace provides access to numerous objects such as form elements and tables that are rendered directly as their HTML equivalents.

- A. System.web.UI.html controls.
- B. System.text.
- C. System.io.
- D. Westwind.tools.

ANSWER: A

10. The \_\_\_\_\_ property is used to place text that should not be formatted with HTML.

- A. innertext.
- B. target.
- C. innerhtml.
- D. href.

ANSWER: A

11. The \_\_\_\_\_ control generates a HTML table, the table tag.

- A. html table cell.
- B. html table.
- C. html table row.
- D. html.

ANSWER: B

12. The \_\_\_\_\_ control will be found and provides a way to maintain the state between page calls.

- A. html inputpage.
- B. html frame.
- C. html form.

D. html table.  
ANSWER: C

13. The `htmlinput` button control is implemented through the \_\_\_\_\_ tag.
- A. `output`.
  - B. `input`.
  - C. `anchor`.
  - D. `property`.

ANSWER: B

14. \_\_\_\_\_ control is useful for statistically and dynamically placing text onto an ASP.NET page.
- A. Label control.
  - B. Textbox.
  - C. Link button.
  - D. Button.

ANSWER: A

15. The \_\_\_\_\_ property of textbox control is used to determine which type of textbox control is rendered.
- A. `text` property. .
  - B. `text mode`.
  - C. `max length`
  - D. `min length`.

ANSWER: B

16. Which control provides the mechanism to retrieve a yes/no type of response to visitors page?
- A. Checkbox.
  - B. Label control.
  - C. Length.
  - D. Button.

ANSWER: A

17. The control allows the visitor to distinctly turn each item on and off is \_\_\_\_\_.
- A. `radiobutton` list control.
  - B. `checkbox` control.
  - C. `textbox`.
  - D. `label`.

ANSWER: B

18. With the \_\_\_\_\_ control, the user can choose from only one item in the list.
- A. `checkbox`.
  - B. `textbox`.
  - C. `label`.
  - D. `radiobutton`.

ANSWER: D

19. The \_\_\_\_\_ control renders itself as an HTML select form element with option tags.

- A. radiobutton list.
- B. checkbox.
- C. dropdown list.
- D. textbox.

ANSWER: C

20. The \_\_\_\_\_ control allows to display a list based on one or two database fields that the visitor can select an item from.

- A. radiobutton.
- B. checkbox.
- C. listbox.
- D. textbox.

ANSWER: C

21. The \_\_\_\_\_ control allows to easily display two-dimensional data.

- A. datagrid.
- B. radiobutton.
- C. listbox.
- D. dropdownlist.

ANSWER: A

22. The \_\_\_\_\_ control is similar to data grid control.

- A. repeater.
- B. listbox.
- C. dropdownlist box.
- D. checkbox.

ANSWER: A

23. The \_\_\_\_\_ control provides to display different image on a page each time it is loaded.

- A. repeater.
- B. advertisement.
- C. treeview.
- D. adrotator .

ANSWER: D

24. The \_\_\_\_\_ control provides a way to make sure that the visitor enters a value into a field.

- A. requiredfieldvalidator.
- B. repeater.
- C. adrotator.
- D. listbox.

ANSWER: A

25. The \_\_\_\_\_ control allows to compare a value entered into a field against another field.

- A. repeater.
- B. adrotator.
- C. listbox.

D. comparevalidation.

ANSWER: D

26. The \_\_\_\_\_ control has displayed its own message in its own location.

- A. repeater.
- B. adrotator.
- C. listbox.
- D. validationsummary.

ANSWER: D

27. The \_\_\_\_\_ control tests to validate a value entered into control like textbox fall within an expected range.

- A. adrotator.
- B. requiredfield.
- C. repeater.
- D. rangevalidator.

ANSWER: D

28. The \_\_\_\_\_ control allows to create own procedures that is required to run the value entered into the test control.

- A. repeater.
- B. adrotator.
- C. customvalidator.
- D. toolbar.

ANSWER: C

29. \_\_\_\_\_ is used along with the validation of the control in an additional property of validation control.

- A. Warningmessage.
- B. Error.
- C. Error message.
- D. Errorwarning.

ANSWER: C

30. Web pages created using ASP.NET web forms are called\_\_\_\_\_.

- A. HTML page.
- B. Dynamic page.
- C. Web forms page.
- D. Static page.

ANSWER: C

31. Which of the following controls can be used to create web forms page?

- A. HTML server controls.
- B. ASP.NET server controls.
- C. Validation controls.
- D. All of the above.

ANSWER: D

32. The default page layout of the web forms page is \_\_\_\_\_.

- A. flow layout.
- B. grid layout.
- C. page layout.
- D. none of the above.

ANSWER: B

33. ASP.NET server controls can be added by using \_\_\_\_\_ tag referred as ASP.

- A. Html.
- B. Dhtml.
- C. Xml.
- D. Wml.

ANSWER: C

34. \_\_\_\_\_ a list of styles that is used to apply a general rule to attributes of a set of elements.

- A. CSS.
- B. Html.
- C. Dhtml.
- D. Xml.

ANSWER: A

35. Which property should be set, after an image is added to the web forms page?

- A. Navigate url.
- B. Image url .
- C. Alternate text.
- D. Image align.

ANSWER: B

36. Every page has a \_\_\_\_\_ that stores values to be restored in next round-trip.

- A. property.
- B. event handler.
- C. web control.
- D. view state.

ANSWER: D

37. The \_\_\_\_\_ control allows to display text and images that represent hierarchical data structures.

- A. toolbar.
- B. treeview.
- C. login.
- D. repeater.

ANSWER: B

38. The \_\_\_\_\_ control displays a list of tab links that the visitor can click.

- A. treeview.
- B. login.
- C. tabstrip.
- D. multipage.

ANSWER: C

39. The \_\_\_\_\_ control contains the content of each of those wizard pages.

- A. login.
- B. treeviews.
- C. multipage.
- D. repeater.

ANSWER: C

40. Which directive causes ASP.NET to import the content of the specified namespace?

- A. Import.
- B. Register.
- C. Page.
- D. Control.

ANSWER: A

41. \_\_\_\_\_ directive creates an association between tag prefix and custom controls.

- A. Implements.
- B. Assembly.
- C. Import.
- D. Register.

ANSWER: D

42. Events supported by Treeview control include \_\_\_\_\_.

- A. Expand.
- B. Collapse.
- C. SelectedIndexChanged
- D. All of the above.

ANSWER: D

43. A web forms page that can be used as a control on other web forms page\_\_\_\_\_.

- A. user control.
- B. composite control.
- C. validation control.
- D. web form control.

ANSWER: A

44. Which of the following class encapsulates the connection to be an OLEDB data source?

- A. System.Data.OleDb.OleDb Connection.
- B. System.Data.OleDb.OleDb Command.
- C. System.Data.OleDb.OleDb Data Adapter.
- D. System.Data.OleDb.OleDb DataReader.

ANSWER: A

45. Which control allows to create custom lists to display data from different data sources?

- A. Repeater control.
- B. DataList control.
- C. DataGrid control.

D. None of the above.

ANSWER: A

46. Which of the following control enables users to customize the item-creation process?

- A. DataGrid control.
- B. GridView control.
- C. Repeater control.
- D. DataList control.

ANSWER: C

47. Which of the following control enables users to display rows of data from a data source in a list?

- A. DataList control.
- B. ListBox control.
- C. Drop-downList control.
- D. CheckBoxList control.

ANSWER: A

48. \_\_\_\_\_ columns that can be created using DataGrid control.

- A. Bound.
- B. Hyperlink.
- C. Button.
- D. All of the above.

ANSWER: D

49. The default layout of DataList control is\_\_\_\_\_.

- A. single vertical.
- B. grid.
- C. vertical.
- D. horizontal.

ANSWER: A

50. The web form application has\_\_\_\_\_ extension.

- A. .vb.
- B. .aspx.
- C. .cs.
- D. .config.

ANSWER: B

51. The lowest precedence in logical operator is\_\_\_\_\_.

- A. and.
- B. or.
- C. xor.
- D. not.

ANSWER: C

52. \_\_\_\_\_ control allows the user to click it and have actions performed.

- A. Combobox.



- B. Domainupdown.
- C. Button.
- D. Datetime picker.

ANSWER: C

53. Datagrid control is used to\_\_\_\_\_ from the database.

- A. display the data retrieved.
- B. delete the data.
- C. alter the data.
- D. accept the data.

ANSWER: A

54. DateTimePicker control is used to select\_\_\_\_\_.

- A. the date and time.
- B. the date&day.
- C. the date,hour.
- D. the difference between dates.

ANSWER: A

55. To load an image in a PictureBox control, \_\_\_\_\_ property is used.

- A. img.
- B. load.
- C. text.
- D. image.

ANSWER: D

56. Combo box is a combination of\_\_\_\_\_.

- A. textbox and listbox.
- B. listbox and checkedlistbox.
- C. listview and table.
- D. listbox and treeview.

ANSWER: A

57. Each item on the tree is called a \_\_\_\_\_.

- A. child.
- B. node.
- C. sibling.
- D. data.

ANSWER: B

58. \_\_\_\_\_ control is used to create a tab style dialog box.

- A. Status bar.
- B. Tool tip.
- C. Tab.
- D. Menustrip.

ANSWER: C

59. HScrollbar and VScrollbar control is used to represent\_\_\_\_\_.

- A. dynamic horizontal and vertical scrollbar.
- B. custom horizontal and vertical scrollbar.
- C. static horizontal and vertical scrollbar.
- D. standard horizontal and vertical scrollbar.

ANSWER: D

60. Listbox1.Items.Add ("alphabets")adds the item during the\_\_\_\_\_.

- A. compile time.
- B. run time.
- C. design time.
- D. system time.

ANSWER: B

61. Which of the following is not true for ADO.NET DataSet?

- A. DataSet provides a connected view of a data source.
- B. Dataset enables to store data from multiple tables and multiple sources.
- C. We cannot create relationship between the tables in a DataSet.
- D. Dataset does not enable to store data from multiple tables and multiple sources.

ANSWER: D

62. Which of the following method of the command object is best suited to use the aggregate functions in a SELECT statement?

- A. ExecuteScalar.
- B. ExecuteReader.
- C. ExecuteNonQuery.
- D. ExecuteQuery.

ANSWER: A

63. ASP.NET differs from that of VB by \_\_\_\_\_ property.

- A. executed at serverside.
- B. executed at clientside.
- C. executed independently.
- D. no difference.

ANSWER: A

64. ADO.NET is the technology the ASP.NET applications use to communicate with

\_\_\_\_\_.

- A. a database.
- B. an another project.
- C. multiple language.
- D. .NET.

ANSWER: A

65. ADO.NET uses \_\_\_\_\_ natively to store data.

- A. SQL.
- B. XML.
- C. Access.
- D. MySQL.

ANSWER: B

66. Add new records using XML document object model which is available in .NET through the type in \_\_\_\_\_.

- A. System.Data.XML.
- B. System.web.XML.
- C. System.Micorsoft.XML.
- D. System.XML .

ANSWER: D

67. Which of the following is a managed provider that is already available for ADO.NET?

- A. SQL Sever.
- B. MySQL.
- C. Oracle.
- D. MS Access.

ANSWER: A

68. \_\_\_\_\_ was the special object designed to move quickly through a read-only set of Data.

- A. Data grid.
- B. Data Navigator.
- C. Data Reader.
- D. ADODC.

ANSWER: C

69. \_\_\_\_\_ bridges the gap between the Dataset and the Data Source.

- A. OLEDB.
- B. Adapter.
- C. ADODC.
- D. Datalink.

ANSWER: B

70. \_\_\_\_\_ namespace contains fundamental classes with the core ADO.NET functionality.

- A. System.Data.common.
- B. System.Data.OLEDB.
- C. System.Data.
- D. System.Data.SqlTypes.

ANSWER: C

71. System.Data.SqlClient is used to connect \_\_\_\_\_.

- A. Microsoft SQL plus.
- B. Oracles SQL plus.
- C. MySQL.
- D. SQL.

ANSWER: A

72. \_\_\_\_\_ API is used to execute SQL statements or stored procedures against a data

source.

- A. ODBC.
- B. SQL.
- C. OLEDB.
- D. OLDB.

ANSWER: C

73. \_\_\_\_\_ used to store a local, disconnected copy of data.

- A. Com Objects.
- B. ADO NET Objects.
- C. Data Objects.
- D. Data Namespaces.

ANSWER: C

74. Dataset class has no direct connection to a \_\_\_\_\_.

- A. data Object.
- B. data source.
- C. table.
- D. records.

ANSWER: B

75. Select method grabs a subset of rows and returns as a/an \_\_\_\_\_.

- A. table View.
- B. array.
- C. data Table.
- D. List view.

ANSWER: B

76. Each data table has at least one \_\_\_\_\_ which is used for data binding.

- A. data Relation.
- B. data Source.
- C. data Set.
- D. data view.

ANSWER: D

77. \_\_\_\_\_ does not have any capabilities to hide specific columns or change the order of column.

- A. data View.
- B. data Relation.
- C. data object.
- D. data Table.

ANSWER: A

78. \_\_\_\_\_ method is very useful to execute a command without retrieving any information from database.

- A. ExecuteReader.
- B. ExecuteNonQuery.
- C. ExecuteScalar.

D. ExecuteQuery.

ANSWER: B

79. \_\_\_\_\_ is/are the fastest way to read data.

A. SqlDataReader and OleDbDataReader.

B. SqlDataReader.

C. OleDbDataReader.

D. DataOleDbReader.

ANSWER: A

80. \_\_\_\_\_ uses the select command to retrieve information about the table such as column constraints and add to dataset.

A. fillRows.

B. fillTables.

C. fill.

D. fillSchema.

ANSWER: D

81. Providing Data access universally and with a consistent object model is one of the goals of \_\_\_\_\_.

A. ASP.NET.

B. .NET.

C. ADO.NET.

D. OLE.

ANSWER: C

82. \_\_\_\_\_ is a standard data access language used to interact with relational databases.

A. XML.

B. SQL.

C. ADO.NET.

D. ASP.NET.

ANSWER: B

83. The \_\_\_\_\_ clause identifies which table is being used in the SQL statement.

A. select.

B. \*.

C. from.

D. tablename.

ANSWER: C

84. \_\_\_\_\_ allows communication between ADO.NET and database.

A. dataSource.

B. provider.

C. internalCatalog.

D. connection.

ANSWER: B

85. In ADO.NET \_\_\_\_\_ provider is used for oracle connection.

- A. MSDAORA.
- B. ODBC.
- C. JDBC.
- D. OLEDB.

ANSWER: A

86. \_\_\_\_\_ indicates name of the server where database is located.

- A. DataLink.
- B. Provider.
- C. DataSource.
- D. OLEDB.

ANSWER: C

87. When the server is on same machine, hosting of ASP.NET site will be on \_\_\_\_\_.

- A. remote.
- B. local host.
- C. server.
- D. browser.

ANSWER: B

88. \_\_\_\_\_ indicates the name of the database.

- A. Database.
- B. Data Source.
- C. Connection.
- D. Internal Catalog.

ANSWER: D

89. \_\_\_\_\_ method returns the number of affected rows.

- A. ExecuteNonQuery.
- B. ExecuteDataReader.
- C. ExecuteReader.
- D. ExecuteQuery.

ANSWER: A

90. ADO.NET provides a/an \_\_\_\_\_ view into a database.

- A. object oriented.
- B. object.
- C. abstract.
- D. table.

ANSWER: A

91. The dataset consists of data table objects as well as \_\_\_\_\_ objects.

- A. dataRel.
- B. dataRow.
- C. dataColumn.
- D. dataRelation.

ANSWER: D

92. The DataRelation class contains a \_\_\_\_\_ objects, which contains DataRelation objects.

- A. dataObjects.
- B. dataTable.
- C. dataRelationCollection.
- D. all the above.

ANSWER: C

93. Each DataRelation objects represents a relationship between two tables through \_\_\_\_\_ objects.

- A. dataRow.
- B. dataColumn.
- C. dataSet.
- D. dataRelation.

ANSWER: B

94. \_\_\_\_\_ class is used to establish a connection to the database.

- A. DbConnection.
- B. DbConn.
- C. DbConnect.
- D. DbConnectionString.

ANSWER: A

95. \_\_\_\_\_ class is used for querying the database.

- A. DbCommands.
- B. DbCmd.
- C. DbCommand.
- D. DbCommandString.

ANSWER: C

96. \_\_\_\_\_ namespace is used for SQL connection.

- A. System.Data.SqlClient.
- B. System.Data.SqlTypes.
- C. System.Data.SqlConnection.
- D. System.Data.SqlCommand.

ANSWER: A

97. DataReader constructor is called using \_\_\_\_\_.

- A. executeNonQuery.
- B. executeDataReader.
- C. executeReader.
- D. executeQuery.

ANSWER: C

98. The relationship is established by matching \_\_\_\_\_ in the two or more tables.

- A. schema.
- B. rows.
- C. datas.

D. columns.  
ANSWER: D

99. Conditions in a Select statement can be given using \_\_\_\_\_ clause.  
A. orderBy.  
B. groupBy.  
C. where.  
D. from.

ANSWER: C

100. The \_\_\_\_\_ clause is used to specify the number of records to return from a table in the database.  
A. first.  
B. top.  
C. begin.  
D. form.

ANSWER: B

101. SQL delete and update commands returns \_\_\_\_\_.  
A. successful message.  
B. affected rows.  
C. row number which was affected.  
D. number of affected rows.

ANSWER: D

102. To create a database connection, \_\_\_\_\_ - property must be specified.  
A. connectionString.  
B. dbConnection.  
C. dbSource.  
D. dataSource .

ANSWER: A

103. \_\_\_\_\_ authentication in SQL server maintains its own user account.  
A. Windows.  
B. Integrated.  
C. SQL.  
D. User.

ANSWER: C

104. \_\_\_\_\_ authentication in SQL server uses the windows account information for the currently logged-in user.  
A. Windows.  
B. Integrated.  
C. SQL.  
D. User.

ANSWER: A

105. The special SQL statement used to select data form multiple tables is called as



- \_\_\_\_\_.
- A. select special query.
  - B. select query.
  - C. join query.
  - D. multiple query.

ANSWER: C

106. To update the disconnected data, ADO.NET provides utility class called \_\_\_\_\_.

- A. disconnectBuilder.
- B. commandBuilder.
- C. connectionBuilder.
- D. updateCommand.

ANSWER: B

107. \_\_\_\_\_ method will create a table with no rows.

- A. Fill.
- B. Filldb.
- C. Filldatabase.
- D. Fillschema.

ANSWER: D

108. \_\_\_\_\_ event is used for every updation in a table.

- A. TableUpdated.
- B. TableUpdate.
- C. RowUpdated.
- D. RowUpdate.

ANSWER: C

109. \_\_\_\_\_ data binding is used to add information anywhere on the ASP.NET page.

- A. repeated-Value.
- B. single-Value.
- C. list.
- D. order.

ANSWER: B

110. \_\_\_\_\_ data binding is useful for handling complex database tasks.

- A. Repeated-Value.
- B. Single-Value.
- C. Simple.
- D. Complex.

ANSWER: A

111. DataBinding task is accomplished by calling \_\_\_\_\_ method.

- A. bindData.
- B. dataBind.
- C. bindingData.
- D. bindData.

ANSWER: B

112. Single-Value data binding has \_\_\_\_\_ format.

- A. <%# #%>.
- B. <% %>.
- C. <%\* \*%>.
- D. <%# %>.

ANSWER: D

113. In traditional DataBinding, all the different controls are sometimes treated like \_\_\_\_\_.

- A. tables.
- B. views.
- C. database.
- D. fields.

ANSWER: B

114. \_\_\_\_\_ method allows the user to add rows into the table.

- A. addRow.
- B. newRow.
- C. insertRow.
- D. new.

ANSWER: B

115. \_\_\_\_\_ object is used to create foreign key.

- A. Foreignkey.
- B. Foreign.
- C. Foreignkeyconstraint.
- D. Keyforeignconstraint.

ANSWER: C

116. \_\_\_\_\_ determines the action that will occur when a row is deleted from the parent table.

- A. Delete.
- B. Deleterule.
- C. Rule.
- D. Deleteconstraint.

ANSWER: B

117. \_\_\_\_\_ member will delete or update related rows in foreign key.

- A. None.
- B. SetDefault.
- C. SetNull.
- D. Cascade.

ANSWER: D

118. A \_\_\_\_\_ is a set of database operations that must all complete or fail together.

- A. query.

- B. command.
- C. transaction.
- D. statement.

ANSWER: C

119. Database designers define the requirements with the \_\_\_\_\_ test.

- A. automic.
- B. acid.
- C. ATM.
- D. isolates.

ANSWER: B

120. Each ADO.NET connection will be opened within \_\_\_\_\_ block.

- A. try.
- B. catch.
- C. throw.
- D. finally.

ANSWER: A

121. \_\_\_\_\_ method is used to get blank row before inserting a new row in a DataSet.

- A. AddRow.
- B. New.
- C. RowNew.
- D. NewRow.

ANSWER: D

122. \_\_\_\_\_ method will be used to delete a record from DataSet and not form the data source.

- A. deleteRecord.
- B. remove.
- C. removeRecord.
- D. delete.

ANSWER: B

123. In ADO.NET \_\_\_\_\_ allows the user to format the options.

- A. Datagrid.
- B. Checkbox.
- C. Listbox.
- D. Dataset.

ANSWER: A

124. Keyword 'Me' refers to \_\_\_\_\_.

- A. current user.
- B. current control.
- C. current page.
- D. current execution part.

ANSWER: C

125. DataBind method will be typically used in \_\_\_\_\_.

- A. pageload.
- B. buttonclick.
- C. textchanged.
- D. resposeredirect.

ANSWER: A

126. The \_\_\_\_\_ control is used to display flashing ads, such as banner ads.

- A. adrotator.
- B. treeview.
- C. repeater.
- D. tabstrip.

ANSWER: A

127. The base class to be used for ad- rotator control is \_\_\_\_\_.

- A. system.web.ui.control.
- B. system.ui.web.control.
- C. system.wb.ui.control.
- D. web.wb.ui.control.

ANSWER: A

128. The properties of ad- rotator control is\_\_\_\_\_.

- A. advertisementfile.
- B. keywordfilter.
- C. target.
- D. all the above.

ANSWER: D

129. What is the use of the advertisement file in ad- rotator?

- A. To redirect to another page when the user clicks on an image.
- B. To delete the respective page.
- C. To view the current page.
- D. To display the image.

ANSWER: A

130. The advertisement file is a \_\_\_\_\_ document.

- A. html.
- B. xml.
- C. url.
- D. xmlschema.

ANSWER: B

131. The closing and end tag for the advertisement file are \_\_\_\_\_.

- A. <adv>...</adv>
- B. <Advt>...</Advt>
- C. <Advertisement>.. <Advertisement>
- D. <Advertisements>... <Advertisements>

ANSWER: C

132. The \_\_\_\_\_ element in advertisement file specifies the image that will be rendered in a browser.

- A. ImageUrl.
- B. NavigateUrl.
- C. Alternatetext.
- D. keyword.

ANSWER: A

133. Which is the element used to display the alternate text when the image is not displayed in a page?

- A. ImageUrl.
- B. NavigateUrl.
- C. Alternatetext.
- D. keyword.

ANSWER: C

134. Users uses \_\_\_\_\_ property to view a specific day, month or week.

- A. advertisementfile.
- B. calendar.
- C. day.
- D. month.

ANSWER: B

135. The syntax to add the calendar control is \_\_\_\_\_.

- A. `<asp:calendar id=" "run at="server"/>`
- B. `<asp:calendar id=" ""run at="server"/> .`
- C. `<asp:calendar runat="server"/>`
- D. `<asp:calendar id="runat="server "/>`

ANSWER: A

136. The \_\_\_\_\_ property of the calendar control specifies the space between cells.

- A. cellpadding.
- B. cellspacing.
- C. cellalignment.
- D. cellgap.

ANSWER: A

137. Which property of the calendar control specifies whether the user can select a day, week or month?

- A. Selectionmode.
- B. Selectiontext.
- C. Selectionday.
- D. Selectweek.

ANSWER: A

138. When a day cell is rendered, the \_\_\_\_\_ property triggers.

- A. dayevent.

- B. dayrender.
- C. dayafter.
- D. daybefore.

ANSWER: B

139. The \_\_\_\_\_ control is used to present hierarchical data to users in a window.

- A. tabstrip.
- B. treeview.
- C. calendar.
- D. custom.

ANSWER: B

140. Which property in the tree view control represents the node?

- A. treenode.
- B. treenodetype.
- C. treetype.
- D. nodetree.

ANSWER: A

141. Which web controls are set with the AutoPostBack property to true by default?

- A. CheckBox & Button
- B. RadioButton & ListBox
- C. Button & ImageButton
- D. RadioButtonList & Button

ANSWER: C

142. Which of the following controls support data binding?

- A. asp:RadioButtonList
- B. asp:CheckBoxList
- C. asp:DropDownList
- D. All of the above

ANSWER: D

143. Which two properties are on every validation control?

- A. ControlToValidate & ErrorMessage
- B. ControlToValidate & Compare
- C. ControlToCompare & ErrorMessage
- D. ControlToValidate & MinValue

ANSWER: A

144. The \_\_\_\_\_ event of the Tree View control is used for multiple selection of nodes.

- A. SelectedNodeChanged
- B. TreeNodeExpanded
- C. TreeNodedCollapsed
- D. TreeNodeCheckChanged

ANSWER: D

145. Which one is not a part of a Connection String?

- A. Data Set
- B. Database
- C. Username
- D. Password

ANSWER: A

146. Which one is not a Navigation Control?

- A. Menu Control
- B. Tree View Control
- C. Site Map
- D. Site Map Path Control

ANSWER: C

147. Which control shows multiple record views at a time?

- A. GridView
- B. CheckBoxList
- C. DataList
- D. FormView

ANSWER: A

148. Which of the following properties are not exposed by Page Class?

- A. Cache
- B. IsPostBack
- C. ErrorPage
- D. Exception

ANSWER: D

149. Which Validator control is used for validating the data based on specific patterns?

- A. Range Validator
- B. Custom Validator
- C. Required Field Validator
- D. Regular Expression Validator

ANSWER: D

150. The validation controls are inherited from \_\_\_\_\_ class.

- A. Custom Validator Class
- B. Base Validator Class
- C. Control Validator Class
- D. Item Validator Class

ANSWER: B

Staff Name  
Boobathiraj R .