



## Dr.G.R.Damodaran College of Science

(Autonomous, affiliated to the Bharathiar University, recognized by the UGC)Re-  
accredited at the 'A' Grade Level by the **NAAC** and ISO 9001:2008 Certified  
CRISL rated 'A' (TN) for MBA and MIB Programmes

III BCA 'A' and 'B'[2015-2018]Batch

Semester V

Core:Visual Basic.Net Programming-506D

Multiple Choice Questions.

1. Who is the developer of Visual Basic .NET?

- A. Microsoft.
- B. IBM.
- C. Sun Systems.
- D. Open source.

ANSWER: A

2. A GUI:

- A. uses buttons, menus, and icons.
- B. should be easy for a user to manipulate.
- C. stands for Graphic Use Interaction.
- D. Both a and b.

ANSWER: D

3. What does IDE stand for?

- A. Integrated Development Environment.
- B. Integrated Design Environment.
- C. Interior Development Environment.
- D. Interior Design Environment.

ANSWER: A

4. Which is not a main component of the Visual Studio IDE?

- A. Solution Explorer.
- B. Tool Box.
- C. Start Menu.
- D. Designer Window.

ANSWER: C

5. For which task does the IDE provide multiple ways to accomplish the task?

- A. Putting a control on the form.
- B. Running the program.
- C. Activating the property window for a control.
- D. All of the above.

ANSWER: D

6. Which are the standard prefixes for the Button and Combo box controls respectively?

- A. btn and chb.

- B. btn and cbo.
- C. bto and chb.
- D. bto and cbo.

ANSWER: B

7. Which are the standard prefixes for the text box and label controls respectively?

- A. tex and lbl.
- B. tex and lab.
- C. txb and lbl.
- D. txb and lab.

ANSWER: C

8. Which task is accomplished in the Code editor?

- A. Adding forms to the project.
- B. Adding controls to the form.
- C. Adding event procedures to the form
- D. Adding methods to the controls.

ANSWER: C

9. The .Net class library \_\_\_\_\_.

- A. contains over 25,000 classes.
- B. uses namespaces to manage all of the classes.
- C. has the System.Form namespace for classes used in Windows-based application.
- D. over 25,000 classes and uses namespaces.

ANSWER: D

10. Which is not a common property of the control class?

- A. Show.
- B. BackColor.
- C. Font.
- D. ForeColor.

ANSWER: A

11. Which property determines whether a control is displayed to the user?

- A. Show.
- B. Visible.
- C. Enabled.
- D. Cursor.

ANSWER: C

12. The Button control can be activated \_\_\_\_\_.

- A. programmatically through the click event.
- B. by clicking only the button with the mouse.
- C. double clicking the object
- D. through click event and button.

ANSWER: D

13. The CancelButton property belongs to \_\_\_\_\_ object.

- A. Button.
- B. Form.
- C. Label.

D. TextBox.  
ANSWER: B

14. Which is a numeric data type?

- A. Floating point.
- B. Integer.
- C. Float and Integer.
- D. Boolean.

ANSWER: C

15. Which is not an integer data type?

- A. Single.
- B. Byte.
- C. Short.
- D. Integer.

ANSWER: A

16. The Date data type does not hold \_\_\_\_\_ information.

- A. Seconds.
- B. Quarters.
- C. Hours.
- D. Days.

ANSWER: B

17. The Tick event is found only in \_\_\_\_\_ object.

- A. Timer.
- B. Button.
- C. TextBox.
- D. Form.

ANSWER: A

18. VB.Net identifiers \_\_\_\_\_.

- A. are case sensitive.
- B. can begin with an underscore.
- C. can begin with a number.
- D. are not a case sensitive.

ANSWER: B

19. The name of a constant \_\_\_\_\_.

- A. does not have to begin with a letter and be either upper or lower case.
- B. does not have to begin with a letter but must be all upper case.
- C. must begin with a letter but can be upper or lower case.
- D. must both begin with a letter and be all upper case.

ANSWER: A

20. The left side of an assignment statement will hold \_\_\_\_\_.

- A. a variable.
- B. object property.
- C. an expression.
- D. a variable and object property.

ANSWER: D

21. The right side of an assignment statement will hold:

- A. a variable.
- B. an object property.
- C. an expression.
- D. Both a and b.

ANSWER: C

22. Which function displays a pop-up window?

- A. LabelBox and MsgBox.
- B. InputBox and LabelBox.
- C. TextBox and LabelBox.
- D. MsgBox and InputBox.

ANSWER: D

23. Which TextBox property should always be changed first?

- A. AcceptsReturn.
- B. BorderStyle.
- C. Font.
- D. Name.

ANSWER: D

24. The Items property of a ComboBox \_\_\_\_\_.

- A. is a collection of items.
- B. is the same as the Items property of a ListBox.
- C. contains methods and properties.
- D. All of the above.

ANSWER: D

25. Which two controls combined to form the ComboBox control?

- A. ListBox and TextBox.
- B. ListBox and InputBox.
- C. ListBox and MsgBox.
- D. Label and TextBox.

ANSWER: A

26. When a condition in an If then statements tests true \_\_\_\_\_.

- A. the next Else statement is activated.
- B. the next If statement is activated.
- C. the next Then statement is activated.
- D. the End If statement is activated.

ANSWER: C

27. Which statements are optional in an If then statement?

- A. If.
- B. Then.
- C. Else.
- D. If Then.

ANSWER: C

28. Which selection process is an example of multiple branches from a single expression?

- A. If Then.
- B. Select Case.
- C. Do Loop.
- D. For Next.

ANSWER: B

29. Do...Loop is an iterative statement because it \_\_\_\_\_.

- A. selects a block of statements to run.
- B. runs the same block of statements repeatedly.
- C. selects a block of statements and runs it repeatedly.
- D. selects a block of statements and runs it a specified number of times.

ANSWER: B

30. In the For Next statement the default value for the Step is \_\_\_\_\_.

- A. -1.
- B. 0.
- C. 1.
- D. 2.

ANSWER: C

31. The For Next Loop is used when \_\_\_\_\_.

- A. a choice is made based on a Boolean condition.
- B. a block of statements is executed an unknown number of times.
- C. a block of statements is executed a known number of times.
- D. a choice is made based on a non Boolean condition.

ANSWER: C

32. Which is not a valid Exit statement?

- A. Exit Do.
- B. Exit For.
- C. Exit Form.
- D. Exit Sub.

ANSWER: C

33. Which function should be used to validate the input that is not a string before performing arithmetic operations?

- A. IsArithmetic.
- B. IsNumeric.
- C. IsNotString.
- D. IsString.

ANSWER: B

34. VB.Net identifiers:

- A. are case sensitive.
- B. can begin with an underscore.
- C. can begin with a number.
- D. can begin with special character

ANSWER: B

35. The Button control can be activated

- A. programmatically through the click event.

- B. by clicking the button with the mouse.
- C. with the forms DefaultButton property.
- D. Both a and b.

ANSWER: D

36. Which is true about the name and text property of a control?

- A. They are same when the control is first created.
- B. The text property changes to match any changes in the name property.
- C. The name property changes to match any changes in the text property.
- D. They are never the same unless the programmer makes it that way.

ANSWER: A

37. Which event is activated when a RadioButton is selected?

- A. Checked.
- B. CheckedChanged.
- C. Selected.
- D. SelectedChanged.

ANSWER: B

38. Which is a type of procedure found in VB.Net?

- A. Event.
- B. Function.
- C. Sub.
- D. All of the above.

ANSWER: D

39. The methodology where code is broken into small, logical procedures is called \_\_\_\_\_.

- A. event-driven programming.
- B. functional programming.
- C. modular programming.
- D. procedural programming.

ANSWER: C

40. Which is not an optional element of a sub procedure declaration?

- A. Parameters.
- B. Public.
- C. Sub.
- D. Statements.

ANSWER: C

41. Which part of a function procedure declaration statement is optional?

- A. Datatype.
- B. Parameters.
- C. Function.
- D. Private.

ANSWER: B

42. The scope of a variable refers to \_\_\_\_\_.

- A. the length of the variable.
- B. the name of the variable.
- C. the accessibility of the variable.

D. the datatype of the variable.

ANSWER: C

43. What is the value of the index for the first element in a VB.NET array?

- A. 0.
- B. 1.
- C. 2.
- D. Depends on what the assigned value is.

ANSWER: A

44. Which method will return the number of elements in an array?

- A. Dimension.
- B. Length.
- C. Number.
- D. Size.

ANSWER: B

45. Which method will arrange the elements of an array in alphabetical order?

- A. Arrange.
- B. Sort.
- C. Order.
- D. Rank.

ANSWER: B

46. Which function returns the numbers represented in the string \$56.7?

- A. Abs
- B. Cdbl
- C. Int
- D. Rnd

ANSWER: B

47. Which menu item is not typically found in the File Menu?

- A. Close.
- B. Copy.
- C. Exit.
- D. Print.

ANSWER: B

48. The solution explorer will not display \_\_\_\_\_.

- A. Form Properties
- B. Reference Folder
- C. Form File
- D. Assemble File

ANSWER: A

49. Which of the following Loop structure is not supported by VB.Net?

- A. Do ..... Loop
- B. For ..... Next
- C. Do ..... While
- D. For Each ..... While

ANSWER: C

50. The standard prefix for a dialog control is \_\_\_\_\_.

- A. dal.
- B. dia.
- C. dlg.
- D. dlc.

ANSWER: C

51. What is the method used to activate the color dialog box?

- A. ActivateDialog.
- B. DisplayDialog.
- C. ExhibitDialog.
- D. ShowDialog.

ANSWER: D

52. Which object must be assigned to the Document property?

- A. Document.
- B. DocumentPage.
- C. DocumentPrint.
- D. PrintDocument.

ANSWER: D

53. Which property determines whether a control is displayed to the user?

- A. Hide
- B. Show
- C. Visible
- D. Enabled

ANSWER: C

54. How do user terminate code execution using VB.NET method?.

- A. Exit.
- B. Close.
- C. Close Sub.
- D. Exit Sub.

ANSWER: D

55. Which of the following is not part of the IDE?

- A. Code editor window.
- B. Properties window.
- C. Form layout window.
- D. General window.

ANSWER: D

56. The application name always appears in the \_\_\_\_\_.

- A. Properties window.
- B. Intermediate window.
- C. Code window.
- D. Title bar.

ANSWER: D

57. Controls are called \_\_\_\_\_.



- A. Code.
- B. Part of the menus.
- C. Rules.
- D. Objects.

ANSWER: D

58. The Object Browser \_\_\_\_\_.

- A. displays the command buttons and textboxes, etc.
- B. shows frequently used shortcuts as objects.
- C. is a Context Menu.
- D. displays the object libraries and their combinations of data and code.

ANSWER: D

59. The location of the form on the desktop during execution is determined by the \_\_\_\_\_.

- A. Form Designer window.
- B. Project Explorer window.
- C. Context Menu.
- D. Form Layout window.

ANSWER: D

60. Why are standard dialog boxes used?

- A. They are easy to create.
- B. They provide functionality familiar to users.
- C. Developers can create their own versions of Dialog boxes.
- D. They are easy and provide functionality to users.

ANSWER: D

61. Type casting in VB.Net is implemented by means of \_\_\_\_\_ statement.

- A. Type()
- B. TypeDef()
- C. Btype()
- D. Ctype()

ANSWER: D

62. The term \_\_\_\_\_ is often used to describe the set of instructions written in Visual Basic .NET's language that will be run by the computer.

- A. source code.
- B. code lines.
- C. machine code.
- D. binary data.

ANSWER: A

63. When a developer's program does not execute as expected, they often need to use the \_\_\_\_\_ mode of Visual Basic .NET to \_\_\_\_\_ their code.

- A. break, restructure.
- B. run, test.
- C. break, debug.
- D. design, rebuild.

ANSWER: C

64. Visual Basic .NET's \_\_\_\_\_ tool offers a quick look at the files associated with a given solution.

- A. Solution Explorer.
- B. Properties Editor.
- C. Task List.
- D. None.

ANSWER: A

65. \_\_\_\_\_ tool is used to modify the characteristics of a control used in Visual Basic .NET project.

- A. Control Editor.
- B. Properties Editor.
- C. Characteristics detail.
- D. Status Bar.

ANSWER: B

66. Which TextBox property should always be changed first?

- A. Font
- B. Name
- C. Text
- D. Borderstyle

ANSWER: B

67. The Label control is used in a Visual Basic .NET application to display \_\_\_\_\_ in a window.

- A. a piece of text
- B. A pop-up help box for other controls.
- C. the information contained in the program's title bar at the top of the window.
- D. a large data.

ANSWER: A

68. Which statement provides an alternate way of displaying information to the user?

- A. InputBox().
- B. MsgBox.
- C. AlertWindow().
- D. PromptUser().

ANSWER: B

69. When writing complex programs, it is often helpful and necessary to break a large process or task into smaller \_\_\_\_\_.

- A. Subtasks.
- B. Problems.
- C. Answers.
- D. Programs.

ANSWER: A

70. A \_\_\_\_\_ procedure contains statements necessary to perform a single subtask, and usually is given a descriptive name somewhat like a meta statement.

- A. broken down.
- B. general sub.
- C. Break.
- D. Exit sub.

ANSWER: B

71. \_\_\_\_\_ is a technique used to send local data between a calling procedure and the

procedure being called.

- A. Parameter passing.
- B. Information sharing.
- C. Procedure reason.
- D. Demilitarizing data.

ANSWER: A

72. The scope of a data item refers to \_\_\_\_\_.

- A. the relative freshness of the information in the data item.
- B. the domain of procedures that are allowed to access the data item.
- C. the size of the data item in relation to the rest of user program.
- D. the size of the sub procedures that are not allowed to access the data item.

ANSWER: B

73. \_\_\_\_\_ data contains only numbers, while \_\_\_\_\_ data may contain any symbol.

- A. Numeric, string.
- B. String, numeric.
- C. Constant, variable.
- D. Numeric, constant.

ANSWER: A

74. Which of the following statements is not true about user-defined functions?

- A. Functions have parameter lists just like general sub procedures.
- B. Variables declared inside the function are global to the entire module.
- C. Functions are not associated with any control (they handle no events).
- D. Just like built-in functions, user-defined functions return a value to the caller.

ANSWER: B

75. How many predefined data types can be defined in VB.NET for the use in a programs?

- A. None.
- B. 2 (Numeric and String).
- C. 12.
- D. 1.

ANSWER: C

76. ADO.NET SqlConnection object is designed for \_\_\_\_\_ database.

- A. Access.
- B. Microsoft SQL Server.
- C. MySQL.
- D. Oracle.

ANSWER: B

77. The connection object must contain \_\_\_\_\_ property of the database.

- A. Location.
- B. Type.
- C. Query.
- D. Both a and b.

ANSWER: D

78. Which is not a tab on the DataLink Property window?

- A. Advanced

- B. All
  - C. Adapter
  - D. Connection
- ANSWER: C

79. Which is not an ADO.NET DataAdapter Object?

- A. OleDbDataAdapter.
- B. SqlDataAdapter.
- C. QueryDataAdapter.
- D. Both a and b.

ANSWER: C

80. Which user action will not generate a server-side event?

- A. Mouse Move.
- B. Text Change.
- C. Button Click.
- D. Both a and b.

ANSWER: A

81. Which control is an example of an object in VB.NET?

- A. Button.
- B. Label.
- C. Textbox.
- D. All of the above.

ANSWER: D

82. Properties are used to represent \_\_\_\_\_.

- A. actions.
- B. classes.
- C. data.
- D. events.

ANSWER: C

83. .... Property is used to set the maximum length of a text, a textbox can hold.

- A. Length
- B. Multiline
- C. MultiLength
- D. MaxLength

ANSWER: C

84. Anything in VB.NET that has a property or method is \_\_\_\_\_.

- A. a class.
- B. a control.
- C. an object.
- D. Both a and b.

ANSWER: C

85. The standard for designing a field is that it be defined as \_\_\_\_\_.

- A. private method.
- B. public method.
- C. private variable.

D. public variable.

ANSWER: C

86. With A = False and B = True, which statement evaluates as False?

- A. A OR A
- B. A OR B
- C. B OR A
- D. B OR B

ANSWER: A

87. What will the function Val (\$165.30) return?

- A. 0
- B. 165
- C. 165.30
- D. \$165.30

ANSWER: A

88. The Rnd statement will generate a(n):

- A. integer value between 0.01 and 1.00.
- B. decimal value between 0.0 and 1.0.
- C. integer value between 0.0 and 1.0.
- D. decimal value between 0.0 and up to 1.0, but not including 1.0

ANSWER: D

89. Which is a valid statement for declaring a variable?

- A. Const Form As Integer
- B. Const myForm As Integer
- C. Dim Form As Integer
- D. Dim myForm As Integer

ANSWER: C

90. The CancelButton property belongs to which object?

- A. Button
- B. Form
- C. Label
- D. TextBox

ANSWER: B

91. The Button control can be activated \_\_\_\_\_.

- A. programmatically through the click event.
- B. by clicking the button with the mouse.
- C. with the forms DefaultButton property.
- D. Both a and b.

ANSWER: D

92. The CancelButton property belongs to \_\_\_\_\_ object.

- A. Button.
- B. Form.
- C. Label.
- D. TextBox.

ANSWER: B

93. Which of the following keyword of VB.NET is used to throw an exception when a problem shows up?

- A. Try
- B. Catch
- C. Finally
- D. Throw

ANSWER: D

94. Which is not a common control event?

- A. Click.
- B. SingleClick.
- C. DoubleClick.
- D. MouseMove.

ANSWER: B

95. Tick event is found only in the object \_\_\_\_\_.

- A. Form.
- B. Timer.
- C. TextBox.
- D. Label.

ANSWER: B

96. The Activated event is found only in \_\_\_\_\_ object?

- A. Form.
- B. Button.
- C. Textbox.
- D. Label.

ANSWER: A

97. Visual Studio .NET provides \_\_\_\_\_ feature?

- A. debugging.
- B. application deployment.
- C. syntax checking.
- D. All of the above.

ANSWER: D

98. A \_\_\_\_\_ array is a group of controls that share the same name and type.

- A. control.
- B. fixed.
- C. static.
- D. local.

ANSWER: A

99. The \_\_\_\_\_ is a commonly used control, which enables the user to select a value by positioning it at the desired location.

- A. verticalbar.
- B. horizontalbar.
- C. scrollbar.
- D. menubar.

ANSWER: C

100. To display text on a CommandButton control, set its \_\_\_\_\_ property.

- A. caption.
- B. text.
- C. list.
- D. name.

ANSWER: A

101. In Visual Basic, a variable name cannot be more than ..... characters

- A. 450
- B. 255
- C. 355
- D. 250

ANSWER: B

102. The text color of a command button can be set using the \_\_\_\_\_ property.

- A. backcolor.
- B. forecolor.
- C. fillcolor.
- D. listcolor.

ANSWER: B

103. A \_\_\_\_\_ is a set of menu items on a menu that share the same name and event procedure.

- A. menu control array.
- B. control array.
- C. list array.
- D. static array.

ANSWER: A

104. A \_\_\_\_\_ menu is a floating menu that is displayed over a form independent of the menu bar.

- A. pop-down.
- B. pop-right.
- C. pop-left.
- D. pop-up.

ANSWER: D

105. \_\_\_\_\_ boxes are used to display information to the user and to prompt the user for the data needed to continue an application.

- A. MsgBox.
- B. Inputbox.
- C. Listbox.
- D. Dialog.

ANSWER: D

106. Child forms are displayed within the \_\_\_\_\_ area of a MDI Form at run time.

- A. internal.
- B. external.
- C. limited.
- D. unlimited.

ANSWER: A

107. The \_\_\_\_\_ property of controls collection returns the number of controls on the form.

- A. countline.
- B. count.
- C. linecount.
- D. numbercount.

ANSWER: B

108. \_\_\_\_\_ communicates with the data sources through the JET database engine.

- A. DAO.
- B. ADO.
- C. RDO.
- D. DOA.

ANSWER: A

109. A \_\_\_\_\_ control in visual basic is used to create applications that present information in rows and columns.

- A. MSFlexGrid.
- B. MSGridFlex.
- C. MSGridLine.
- D. MSLineGrid.

ANSWER: A

110. \_\_\_\_\_ method is used to draw and fill boxes.

- A. Fill.
- B. Draw.
- C. Image.
- D. Line.

ANSWER: D

111. A \_\_\_\_\_ dialog box does not allow the user to continue with other applications unless it is closed or unloaded.

- A. modeless.
- B. modal.
- C. help.
- D. property.

ANSWER: B

112. \_\_\_\_\_ occurs when the user releases any mouse button.

- A. MouseUp.
- B. MouseDown.
- C. MouseLeft.
- D. MouseRight.

ANSWER: A

113. A \_\_\_\_\_ method is used to draw a variety of circular and elliptical shapes.

- A. line.
- B. square.
- C. circle.
- D. shape.

ANSWER: C

114. \_\_\_\_\_ control combines the features of the text box and list box



- A. Picture Box
- B. Combo Box
- C. Check Box
- D. Option Button

ANSWER: B

115. \_\_\_\_\_ property of the Textbox has to be set to hide the characters types in the textbox.

- A. HideText
- B. Hide
- C. Password
- D. Password Character

ANSWER: D

116. A click event procedure for the label control can be created by?

- A. selecting the object and event from the code editor windows dropdown boxes.
- B. typing the code in the code editor window.
- C. by double clicking the control.
- D. All of the above.

ANSWER: D

117. Which is not true about forms and controls in Visual Basic?

- A. They are pre-built.
- B. They are graphical objects.
- C. New versions of the classes must be created with each project.
- D. Buttons can be created with the drag and drop method.

ANSWER: C

118. The \_\_\_\_\_ control displays a list of items from which user can select one or more items.

- A. CheckBox
- B. ListBox
- C. ComboBox
- D. OptionButton

ANSWER: B

119. Which language is not a true object-oriented programming language?

- A. VB.NET.
- B. VB 6.
- C. C++.
- D. Java.

ANSWER: B

120. The \_\_\_\_\_ property is used to return or sets a value that determines whether the control can respond to user-generated events.

- A. Enable
- B. Disable
- C. Visible
- D. Show

ANSWER: A

121. Which language is used to create an ASP.NET code file?

- A. Visual Basic
- B. C#
- C. C++
- D. All of the above.

ANSWER: D

122. Which below is specified by the DataSource Property?

- A. Connection object.
- B. DataAdapter object.
- C. Database field.
- D. Dataset object.

ANSWER: D

123. The first record in a dataset has a position property of \_\_\_\_\_.

- A. zero.
- B. one.
- C. any value defined by the programmer.
- D. Both a and b.

ANSWER: A

124. Which is the appropriate prefix for a Dataset object?

- A. da.
- B. das.
- C. dat.
- D. ds.

ANSWER: D

125. Which is the appropriate prefix for a DataAdapter object?

- A. da
- B. daa.
- C. dad.
- D. dt.

ANSWER: A

126. Which of the following statements is true about user-defined functions?

- A. Functions have parameter lists just like general sub procedures.
- B. Variables declared inside the function are global to the entire module.
- C. Functions are associated with any control (they handle no events).
- D. Built-in functions does not return a value to the caller like user-defined functions .

ANSWER: A

127. The window in which the individual documents are displayed is called. \_\_\_\_\_ window.

- A. Main
- B. Child
- C. Parent
- D. Sub

ANSWER: A

128. Can a Toolbar displays text instead of pictures in the buttons?

- A. No, a toolbar can only display images.
- B. No, a toolbar can only display text.

C. Yes, a toolbar can display text, images, or both.

D. Yes, a toolbar can display pictures.

ANSWER: C

129. In \_\_\_\_\_ there is no need to declare a variable before using it.

A. Option Explicit

B. Implicit Declaration

C. Explicit Declaration

D. Option Implicit

ANSWER: B

130. A CheckBox can also appear as a \_\_\_\_\_.

A. Button.

B. RadioButton.

C. ScrollBar.

D. CheckBox

ANSWER: A

131. What is the most number of states a CheckBox can have?

A. 0.

B. 1.

C. 2.

D. 3.

ANSWER: D

132. \_\_\_\_\_ is a built in function to return the upper bound of an array

A. UBound()

B. UpperBound()

C. UpperValue()

D. Upper()

ANSWER: A

133. Which value for the ComboBox DropDownStyle property allows a user to type in data?

A. DropDown.

B. DropDownSimple.

C. DropDownList.

D. DropDownDouble.

ANSWER: A

134. Which method of a ListBox will remove just one item at a time?

A. Items.RemoveAt.

B. Item.RemoveAt.

C. Items.ClearAt.

D. Items.Clear.

ANSWER: A

135. Which TextBox method does not use the clipboard?

A. Clear.

B. Copy.

C. Cut.

D. Paste.

ANSWER: A

136. \_\_\_\_\_ can access data from relational and non relational databases.

- A. OLEDB
- B. Oracle Engine
- C. ODBC
- D. JDBC

ANSWER: A

137. Which does the solution explorer not display?

- A. Form Properties.
- B. Reference Folder.
- C. Form File.
- D. Assemble File.

ANSWER: A

138. \_\_\_\_\_ makes the user to declare every variable before its use.

- A. Declare Explicit
- B. Option Implicit
- C. Option Explicit
- D. Option Private

ANSWER: C

139. Which is an example of Visual Basic Objects?

- A. Control objects.
- B. ASP.NET
- C. ADO.NET
- D. All of the above.

ANSWER: D

140. \_\_\_\_\_ is designed to provide a common bridge between different databases, file systems and email servers.

- A. DAO.
- B. RDO.
- C. DOA.
- D. ADO.

ANSWER: D

141. The \_\_\_\_\_ dialog box allows shifting of focus between the dialog box and another form without closing the dialog box.

- A. modal.
- B. input.
- C. modeless.
- D. error.

ANSWER: C

142. The \_\_\_\_\_ of a Sub Procedures are used for passing numbers and strings to the sub procedure.

- A. Variables
- B. Call Statements
- C. Arguments

D. Parameters

ANSWER: D

143. In event-driven programming an event is generated by \_\_\_\_\_.

- A. the system.
- B. a users action.
- C. the program itself.
- D. All the above.

ANSWER: D

144. The proper operator precedence, from first to last, is \_\_\_\_\_.

- A. logical, comparison, and arithmetic.
- B. arithmetic, comparison and logical, and comparison.
- C. arithmetic, logical, and comparison.
- D. comparison, arithmetic, and logical.

ANSWER: B

145. The Activated event is found only in \_\_\_\_\_ object.

- A. Form.
- B. Button.
- C. Label.
- D. Timer.

ANSWER: A

146. The color of a button is \_\_\_\_\_.

- A. One of its properties.
- B. Not updateable.
- C. Defined in the project.
- D. Defined in the Intermediate window.

ANSWER: A

147. Which is a valid statement for declaring a constant?

- A. Const Form As Integer.
- B. Const myForm As Integer.
- C. Dim Form As Integer.
- D. Dim myForm As Integer.

ANSWER: B

148. Code is \_\_\_\_\_.

- A. Updateable in the form editor.
- B. Instructions.
- C. Seldom used.
- D. An object.

ANSWER: B

149. How many times a procedure be called in a program?

- A. 0.
- B. 1.
- C. 2.
- D. As many times as needed.

ANSWER: D

150. A sub procedure is valuable because it \_\_\_\_\_.

- A. makes code easier to maintain.
- B. splits the logic to solve a problem into small, manageable units.
- C. limits the number of times the code can be accessed.
- D. makes easier and splits the logic to solve a problem.

ANSWER: D

Staff Name  
Bhuvaneshwari.C .