



Dr.G.R.Damodaran College of Science

(Autonomous, affiliated to the Bharathiar University, recognized by the UGC) Re-
accredited at the 'A' Grade Level by the **NAAC** and ISO 9001:2008 Certified
CRISL rated 'A' (TN) for MBA and MIB Programmes

III MCA (2015-2018) Batch
V SEMESTER
OPEN SOURCE SOFTWARE - 554C
Multiple Choice Questions.

1. Open source softwares are softwares that are _____
- A. available for free of cost.
 - B. available for some cost.
 - C. not having any license.
 - D. owned by some persons.

ANSWER: A

2. What is the location of the log files in Apache Server?
- A. /deck/var/httpd
 - B. /var/log/httpd
 - C. /location/log/
 - D. /server/log/httpd

ANSWER: B

3. What is the default extension of Apache configuration files?
- A. .con
 - B. .conf
 - C. .xml
 - D. .config

ANSWER: B

4. Which of the following is open source software?
- A. Visual Basic.
 - B. Oracle.
 - C. MySQL.
 - D. Lotus.

ANSWER: C

5. Which of the following software is proprietary software?
- A. OpenOffice.
 - B. Oracle.
 - C. MySQL.
 - D. Postgres.

ANSWER: B

6. The ownership of the file can be changed by using the _____ command.
- A. chown

- B. chgrp
- C. changeown
- D. chmod

ANSWER: A

7. What is the acronym of GPL?

- A. General Public License.
- B. General Private License.
- C. Global Publish License.
- D. Global Program License.

ANSWER: A

8. What action(s) must be done to enable Cookies within Apache?

- A. Only installing mon_usertrack.
- B. Installing mod_cookies.
- C. Installing mon_usertrack and setting the Directive cookie tracking on
- D. Only setting the Directive cookie tracking on

ANSWER: C

9. Apache web server works on which ports?

- A. http - port 80 only
- B. Both http - port 80 and https - port 443
- C. https - port 443 only
- D. None of these

ANSWER: B

10. What is the command to restart the Apache Web Server?

- A. apachectl -k restart/etc/init.d/apache2 system
- B. apachectl -k restart/etc/init.d/apache2 restart
- C. apachectl -k run/etc/init.d/apache2 restartsystem
- D. apachectl -k perform/etc/init.d/apache2 restart

ANSWER: B

11. Open source softwares are softwares that are _____

- A. available for free of cost.
- B. available for some cost.
- C. not having any license.
- D. owned by some persons.

ANSWER: A

12. The file permissions can be modified by the _____ command.

- A. chgrp
- B. chmod
- C. chuser
- D. changemod

ANSWER: B

13. htpasswd _____

- A. creates a new user
- B. asks to specify the password for the user
- C. creates a new user and asks to specify the password for the user

D. None of these

ANSWER: C

14. Which of the following is an email client?

A. Epiphany.

B. Opera.

C. Eudora.

D. Safari.

ANSWER: C

15. What Module is CacheSize used with?

A. mod_proxy

B. mod_ssl

C. mod_usertrack

D. mod_alias

ANSWER: A

16. OSD stands for _____.

A. open source definition.

B. open system definition.

C. open skill definition.

D. object source definition.

ANSWER: A

17. The _____ feature is supported by MySQL.

A. AUTO_DECREMENT

B. AUTO_INCREMENT

C. AUTO_STORE

D. AUTO_INCREASE

ANSWER: B

18. A file can be renamed using the _____ command in Linux.

A. rename

B. ren

C. move

D. mv

ANSWER: D

19. Open source definition was written by Bruce perence for _____linux.

A. debian.

B. SuSe.

C. fedora.

D. redhat.

ANSWER: A

20. Which company develops applications that run on open source softwares for their business?

A. HCL.

B. IBM.

C. Apple.

D. eBay.

ANSWER: D

21. What's the command to stop Apache?
- A. `apachectl -k exit /etc/init.d/apache2 stop`
 - B. `apachectl -k stop /etc/init.d/apache2 exit`
 - C. `apachectl -k quit /etc/init.d/apache2 stop`
 - D. `apachectl -k stop /etc/init.d/apache2 stop`

ANSWER: D

22. How do you change the default web root?
- A. Change the DocumentRoot in `/etc/var/http.conf` file.
 - B. Change the DocumentRoot in `/etc/http.conf` file.
 - C. Change the DocumentRoot in `httpd.conf` file.
 - D. Change the DocumentRoot in `init.d` file.

ANSWER: C

23. Cobalt is a _____.
- A. database.
 - B. scripting language.
 - C. front end.
 - D. operating system.

ANSWER: D

24. The _____ command is used to link two files.
- A. `linkfile`
 - B. `link`
 - C. `filelink`
 - D. `ln`

ANSWER: D

25. A _____ Red Hat program that controls which daemons in `/etc/init.d` run at what point in the start-up (and shutdown) process.
- A. `checkconfig`
 - B. `chkconfig`
 - C. `chkcon`
 - D. `configchk`

ANSWER: B

26. _____ is the configuration file of the Apache Web Server.
- A. `webhttp.conf`
 - B. `httpweb.conf`
 - C. `http.conf`
 - D. `httpd.conf`

ANSWER: D

27. _____ contains a mixture of open and closed code.
- A. `websphere`.
 - B. `eclipse`.
 - C. `apache`
 - D. `mandrake`.

ANSWER: A

28. The _____ command is used to restart the Apache Web Server.

- A. # /etc/init.d/httpd graceful
- B. # /etc/init.d/httpd graceful start
- C. # /etc/init.d/http graceful
- D. # /etc/init.d/httpd restart

ANSWER: A

29. A system which runs effectively without an office suite is _____.

- A. hp.
- B. apple.
- C. IBM.
- D. zenith.

ANSWER: B

30. What is the function of the mod_imap Module?

- A. Handles IMAP e-mail protocols for Apache.
- B. Performs image map handling.
- C. Allows for shared inter-module memory protocols.
- D. There is no mod_imap Module which is available for Apache.

ANSWER: B

31. A software that has both proprietary license and open source license is called _____.

- A. dual licensed software.
- B. multiple licensed software.
- C. mixed licensed software.
- D. uncontrolled software.

ANSWER: A

32. What Module is CacheSize used with?

- A. mod_proxy
- B. mod_ssl
- C. mod_usertrack
- D. mod_alias

ANSWER: A

33. The _____ function in PHP is used to search for a string or character within a string.

- A. searchstr()
- B. strpos()
- C. substring()
- D. substr()

ANSWER: B

34. A function in PHP which starts with __ (double underscore) is known as..

- A. Magic Function
- B. Inbuilt Function
- C. Default Function
- D. User Defined Function

ANSWER: A

35. OSI stands for _____.

- A. open Source Initiative.

- B. open Source Intermediate.
- C. open Source Institution.
- D. open Software Institution.

ANSWER: A

36. strlen() returns the length of the string on success and . . . if the string is empty.

- A. -1
- B. NULL
- C. Garbage Value
- D. 0

ANSWER: D

37. Closed source is alternatively called as _____.

- A. open source.
- B. proprietary software.
- C. hybrid software.
- D. commercial software.

ANSWER: C

38. phpinfo() will display about

- A. OS version information
- B. PHP installation
- C. Variables and HTTP headers
- D. All the above

ANSWER: D

39. Which of the following statement print in PHP?

- A. Out
- B. Write
- C. Echo
- D. Display

ANSWER: C

40. _____ can connect to databases using the access methods ADO, JDBC, or ODBC.

- A. staroffice.
- B. stardivision.
- C. OpenOffice.
- D. windowsoffice.

ANSWER: C

41. Which of folowiing variable assignment is 'by value' assignment in PHP

- A. \$value1= \$value?
- B. \$value1= & \$value?
- C. \$value1= & \$value?
- D. None

ANSWER: A

42. PHP provides _____ function to open a database connection.

- A. mysql_connect
- B. sql_connect
- C. sqlconnection

D. mysqlconnection

ANSWER: A

43. Which of the following function returns the number of characters in a string variable?

- A. count(\$variable)
- B. len(\$variable)
- C. strcount(\$variable)
- D. strlen(\$variable)

ANSWER: D

44. All variables in PHP are denoted with a leading _____.

- A. \$
- B. #
- C. &
- D. @

ANSWER: A

45. The variables can be passed between pages in PHP is done by using _____.

- A. QueryURL
- B. URLData
- C. QueryString
- D. URLQuery

ANSWER: C

46. Gnome is built with _____.

- A. GTK+ toolkit.
- B. Qt toolkit.
- C. Globus toolkit.
- D. user interface toolkit.

ANSWER: A

47. Which of the following is not the way of passing variables between pages?

- A. Session
- B. Cookies
- C. QueryString
- D. RequestString

ANSWER: D

48. Which one of the following method is not used to pass data from one web page to another web page?

- A. Store the data in a session variable. By storing the data, the data can be passed from one page to another.
- B. Store data in a cookie: By storing data in a persistent cookie, data can be passed from one form to another.
- C. Set the data in a hidden field and post the data using a submit button.
- D. Set the data in a temporary field and post the data using a command button.

ANSWER: D

49. Which one is not a professional application?

- A. Presentation software.
- B. Graphics.
- C. Database front ends.

D. Web designers.

ANSWER: A

50. _____ is based on Debian.

A. knoppix.

B. gnoppix.

C. fedora.

D. centOS.

ANSWER: A

51. Every command in Linux is a _____.

A. text file.

B. stored variable.

C. executable program.

D. none.

ANSWER: C

52. PHP uses _____ function to create a MySQL database.

A. mysql_query

B. mysql_create

C. mysql_createdatabase

D. mysql_database

ANSWER: A

53. The hierarchy of a series of directories branching in a user system starts from

A. \home.

B. \root.

C. /home.

D. /root.

ANSWER: D

54. Which directory contains configuration files that stores system and application setting?

A. /etc.

B. /lib.

C. /usr.

D. /var.

ANSWER: A

55. Which command is used to find data files, programs, directories that match the search argument?

A. find.

B. search.

C. locate.

D. browse.

ANSWER: C

56. Applications written to provide a GUI shell for UNIX and Linux are called _____.

A. DOS.

B. xWindows.

C. OS/2.

D. Vista.

ANSWER: B

57. The _____ command is used to go back one level up in the directory.

- A. \$ cd ..
- B. b.\$ cd/.
- C. \$ cd//.
- D. \$ cd.

ANSWER: A

58. What does rwx r-x r-- mean in octal?

- A. 754.
- B. 742.
- C. 724.
- D. 624.

ANSWER: A

59. Which command stops all process except the shell?

- A. kill all.
- B. kill 100.
- C. kill 1.
- D. kill 0.

ANSWER: D

60. The _____ command is used to find a text string in a file.

- A. find.
- B. search.
- C. grep.
- D. locate.

ANSWER: C

61. The _____ command is used to display file contents, a screen at a time.

- A. page.
- B. more.
- C. screen.
- D. list.

ANSWER: B

62. The _____ command is used to show files and directory containing numbers.

- A. ls *[0-9]*.
- B. ls [0-9].
- C. ls 0-9.
- D. ls 0,9.

ANSWER: A

63. What command shows the directory you are in?

- A. showdir.
- B. dir.
- C. pwd.
- D. displaydir.

ANSWER: C

64. The _____ command is used to copy the file science.txt into new.txt.

- A. \$cp science.txt new.txt.
- B. \$copy science.txt new.txt.
- C. \$copyfile science.txt new.txt.
- D. \$cpfile science.txt new.txt.

ANSWER: A

65. Which one of the following is not a PHP Framework?

- A. Zend Framework
- B. CakePHP
- C. CodeIgniter
- D. Joomla

ANSWER: D

66. The PHP function that return the part of the String is _____

- A. strlen()
- B. substr()
- C. strev()
- D. strcmp()

ANSWER: B

67. _____ command is used to remove empty directories.

- A. remove directory.
- B. rmdir.
- C. rdir.
- D. dropdir.

ANSWER: B

68. If a file is owned by the wrong user or group, the error can be repaired with the _____ commands.

- A. chown and chgrp.
- B. chown and grep.
- C. chown and grp.
- D. own and chgrp.

ANSWER: B

69. Constants in PHP are defined using _____ directive.

- A. define()
- B. const()
- C. constant()
- D. defconst()

ANSWER: A

70. Pine is used for _____ based mail readers.

- A. graphics.
- B. text.
- C. color.
- D. html.

ANSWER: C

71. Which is one of the Linux first distributions?

- A. SuSE.

- B. Mandrake.
- C. RedHat.
- D. Slackware.

ANSWER: D

72. Which of the following changes the password of an existing user of MySQL Server?

- A. mysqlpwd -u root -p password "newpassword"
- B. mychpwd -u root -p password "newpassword"
- C. mysqladmin -u root -p password "newpassword"
- D. adminpwd -u root -p password "newpassword"

ANSWER: C

73. Which command is used to change the shell?

- A. \$chsh.
- B. \$changeshell.
- C. \$shellch.
- D. \$chshell.

ANSWER: A

74. How many columns can be created for an index in a MySQL table?

- A. 22
- B. 16
- C. 15
- D. 32

ANSWER: B

75. The file permissions can be changed by the _____ command.

- A. \$chmod.
- B. \$chgrep.
- C. \$chown.
- D. \$chmodify.

ANSWER: A

76. Which command is used to view the command manual?

- A. \$manual.
- B. \$commandmanual.
- C. \$manview.
- D. \$man.

ANSWER: A

77. _____ is used to retrieve the result from the database as objects

- A. mysql_fetch_object()
- B. mysql_fetch_result()
- C. mysql_fetch_data()
- D. mysql_fetch_content()

ANSWER: A

78. Which command is used to display the last ten lines of a file in the screen?

- A. \$top filename.
- B. \$last -10 filename.
- C. \$head filename.

D. \$head -10 filename.

ANSWER: C

79. Which one of the following is not a valid mysql utility?

- A. mysqlldbcompare
- B. mysqlldbcopy
- C. mysqlldbexport
- D. mysqlldbtest

ANSWER: D

80. Which is a valid wild card character used in the ls command?

- A. *.
- B. #.
- C. +.
- D. None of the above.

ANSWER: A

81. Which command is used to create a link to another file?

- A. \$link.
- B. \$lnk.
- C. \$ln.
- D. \$linkfile.

ANSWER: C

82. The ip address and other network settings of the system can be set up by the _____ command.

- A. \$netconfig.
- B. \$ifconfig.
- C. \$ipconfig.
- D. \$netset.

ANSWER: C

83. The _____ program controls which daemons in/etc/init.d run at what point in the start-up (and shutdown) process.

- A. chkconfig
- B. checkdaemon.
- C. chkdaemon.
- D. chekd.

ANSWER: A

84. The _____ directory is used for storing the mail, printer, and other spools.

- A. /var/mail.
- B. /var/spool.
- C. /var/print.
- D. /var/mailprint.

ANSWER: B

85. Which directory holds the X Windows configuration files?

- A. /etc/X11.
- B. /etc/XWindows.
- C. /etc/Xconfig.
- D. /etc/Xwind.

ANSWER: A

86. The _____ mechanism handles the dependency of packages in Red Hat Linux Distribution.
- A. dep-get.
 - B. apt-get.
 - C. up2date.
 - D. dep-check.

ANSWER: C

87. Which one of the following utility read indexes for one or more tables, check for redundant and duplicate indexes and generate reports in SQL, CSV, TAB, Grid, Vertical?
- A. mysqlindexcheck
 - B. mysqlcheckindex
 - C. checkindex
 - D. indexcheck

ANSWER: A

88. What is the minimum number of partitions you need to install Linux?
- A. 3.
 - B. 2.
 - C. 4.
 - D. 1.

ANSWER: B

89. Which command is used to create a new user account in Linux?
- A. useradd.
 - B. createuser.
 - C. adduser.
 - D. newuser.

ANSWER: A

90. Which daemon is responsible for tracking events on Linux system?
- A. syslog.
 - B. syslogd.
 - C. systemlog.
 - D. systemlogd.

ANSWER: B

91. What should be done first when a new, empty hard drive is used in Linux?
- A. Create an extended partition to be used for data.
 - B. Format the hard drive to use the ext2 filesystem.
 - C. Create a swap partition of type 82.
 - D. Create a primary partition using fdisk.

ANSWER: D

92. Which is the system configuration tool in SuSE Linux?
- A. YaST.
 - B. SysTool.
 - C. YST.
 - D. SysConfigTool.

ANSWER: A

93. Which command is used to check the used disk space in Linux?

- A. diskspace.
- B. df.
- C. diskfree.
- D. diskstatus.

ANSWER: B

94. Which command is used to change the default nature of one Linux command?

- A. change.
- B. changetype.
- C. alias.
- D. changecommand.

ANSWER: C

95. A _____ is a certain amount of space used by Linux to temporarily hold some programs that are running concurrently.

- A. hidden file.
- B. swap space.
- C. temporary directory.
- D. home directory.

ANSWER: B

96. Which is not a component of Linux operating system?

- A. Kernel.
- B. Shell.
- C. System Utilities.
- D. Devices.

ANSWER: D

97. What are filenames that are preceded by a dot?

- A. Hidden files.
- B. directories.
- C. swap files.
- D. config files.

ANSWER: A

98. Which is the printer administration tool?

- A. PrintAdmin.
- B. CUPS.
- C. Padmin.
- D. CPS.

ANSWER: B

99. The _____ are global settings that control the shell's function as well as that of other Linux programs.

- A. Environmental variables.
- B. Local variables.
- C. System variables.
- D. path variables.

ANSWER: A

100. Which command is used to determine which shell the user is using?

- A. echo \$SHELL.
- B. view \$SHELL.
- C. \$SHELL.
- D. print \$SHELL.

ANSWER: A

101. MySQL was developed in the year _____.

- A. Mexico.
- B. Russia.
- C. Sweden.
- D. Australia.

ANSWER: C

102. MySQL's first public release was in the year _____.

- A. 1992.
- B. 1993.
- C. 1995.
- D. 1996.

ANSWER: D

103. MySQL is said to be flexible because

- A. it supports query caching.
- B. its binaries are available for many platforms.
- C. it support replication.
- D. it supports full-text indexing and searching.

ANSWER: B

104. How many character sets does MySQL have?

- A. 20.
- B. 30.
- C. 40.
- D. 45.

ANSWER: B

105. Which of the following feature did MySQL had when it was released initially?

- A. Views.
- B. Stored Procedure.
- C. Subqueries.
- D. Speed and Performance.

ANSWER: D

106. . _____ helps in enhancing the performance of mining data in MySQL.

- A. Full text indexing and searching.
- B. Query caching.
- C. Views.
- D. Enterprise level SQL features.

ANSWER: A

107. Which protocol should be used if client and server reside on the same machine?

- A. Pipe.
 - B. Memory.
 - C. TCP.
 - D. Socket.
- ANSWER: C

108. The command that shows the structure of the database

- A. mysqlshow
 - B. mysqlimport
 - C. mysqladmin
 - D. mysqlbug
- ANSWER: A

109. Which of the following feature limits access to database tables to only the data that is intended to be used by the user?

- A. Views.
 - B. Stored Procedure.
 - C. Query Caching.
 - D. Triggers.
- ANSWER: A

110. Which of the following is a third party client program that can be used with MySQL?

- A. mysqldump.
 - B. mysqlcheck.
 - C. MySQL Administrator.
 - D. myisamchk.
- ANSWER: C

111. The _____ mysql utility starts a new instance of a running server.

- A. mysqlservernewinstance
 - B. mysqlserverclone
 - C. mysqlservercopy
 - D. mysqlservernew
- ANSWER: B

112. Which utility can be used for backup in MySQL server while running?

- A. mysqlhotcopy.
 - B. mysqlimport.
 - C. mysqldump.
 - D. myisamchk.
- ANSWER: A

113. What is a candidate key?

- A. Used to uniquely identify a row.
 - B. Alias for primary key.
 - C. Used to identify a column.
 - D. Alias for foreign key.
- ANSWER: A

114. A view is nothing but a _____ table or a stored query.

- A. dynamic.

- B. real.
- C. virtual.
- D. static.

ANSWER: C

115. Which of these field types would be best to hold a film title?

- A. tinytext .
- B. tinyblob .
- C. longblob .
- D. mediumtext .

ANSWER: A

116. When do we use a HAVING clause?

- A. To limit the output of a query.
- B. To limit the output of a query using an aggregate function only.
- C. When GROUP by is used.
- D. To limit the output of a query using an aggregate function only and when GROUP by is used.

ANSWER: B

117. USE keyword is used to select a _____

- A. column.
- B. table.
- C. database.
- D. table, column and database.

ANSWER: C

118. The program called mysql is

- A. a client program that lets you send SQL commands to the database engine.
- B. there isn't a program just called mysql .
- C. a program that starts up and shuts down the database engine .
- D. the database engine .

ANSWER: A

119. How can we get the number of records or rows in a table?

- A. Using COUNT.
- B. Using NUM.
- C. Using NUMBER.
- D. Using COUNT and NUMBER.

ANSWER: A

120. How much storage space does DATETIME require?

- A. 4 bytes.
- B. 2 bytes.
- C. 8 bytes.
- D. 1 byte.

ANSWER: C

121. Which of the following is available in MySQL?

- A. CREATE FAIRYLIGHTS.
- B. CREATE VIEW.
- C. CREATE TRIGGER.

D. CREATE DATABASE.

ANSWER: D

122. User() function returns the current users user name and _____

- A. password.
- B. host name.
- C. password and hostname.
- D. database name associated with the user.

ANSWER: B

123. The _____ mysql utility is used to relocate binary log files, move files based on their sequence number or modified date.

- A. mysqlbinlogmove
- B. mysqlbinlogcopy
- C. mysqllogmove
- D. mysqlbinlogrelocate

ANSWER: A

124. The USE command

- A. should be used to choose the database you want to use once you've connected to MySQL .
- B. is a pseudonym for the SELECT command.
- C. has been deprecated and should be avoided for security reasons .
- D. is used to load code from another file.

ANSWER: A

125. How many distinct, different values one can hold in an enum field?

- A. 255.
- B. 65535.
- C. 2.
- D. 7.

ANSWER: B

126. Which of these commands will delete a table called XXX if you have appropriate authority?

- A. DELETE XXX.
- B. DROP TABLE XXX.
- C. DROP XXX.
- D. DELETE TABLE XXX.

ANSWER: B

127. MySQL is

- A. a technique for writing reliable programs.
- B. a GUI (Graphic User Interface).
- C. an API (Application Programmer Interface).
- D. a Relational Database Management System.

ANSWER: D

128. The _____ mysql utility displays grants per object, produce reports by user, user with grants, and GRANT statements.

- A. mysqldisplay
- B. mysqlgrants
- C. mysqlallow

D. mysqlpermit

ANSWER: B

129. Commands passed to the MySQL daemon are written in

- A. Swedish.
- B. the Structured Query Language.
- C. your choice from Perl, PHP, Java or some other languages.
- D. English.

ANSWER: B

130. Which of the following can add a row to a table?

- A. Add.
- B. Insert.
- C. Create.
- D. Update.

ANSWER: B

131. Which of these field types would be best to hold a .jpg image?

- A. nchar binary.
- B. blob.
- C. char.
- D. binary text.

ANSWER: B

132. A SELECT command without a WHERE clause returns

- A. nothing.
- B. all the records from a table, or information about all the records.
- C. all the records from a table that match the previous WHERE clause.
- D. SELECT is invalid without a WHERE clause.

ANSWER: B

133. In a LIKE clause, you can ask for any 6 letter value by writing:

- A. LIKE _____ (that's six underscore characters).
- B. LIKE .{6}
- C. LIKE (that's six dots)
- D. LIKE ??????

ANSWER: A

134. Which of the following is a command of mysqladmin utility

- A. extended-status.
- B. column-names.
- C. compress.
- D. pager.

ANSWER: A

135. In PHP , the variables are recognized from_____ in front of them

- A. _
- B. ?
- C. \$
- D. @

ANSWER: C

136. Which symbol can be used to direct the output of a command to a file?

- A. |.
- B. ~.
- C. >.
- D. /.

ANSWER: C

137. Which of the following denotes the parent directory in MySQL?

- A. ..
- B. .
- C. \.
- D. ./.

ANSWER: B

138. _____ defines the specific action based on specific occurrence within a database.

- A. Stored Procedure.
- B. Stored Function.
- C. Trigger.
- D. View.

ANSWER: C

139. Which script is used to run mysql?

- A. safe_mysqlqd.
- B. run_myysqlqd.
- C. execute_myysqlqd.
- D. saferun_myysqlqd.

ANSWER: A

140. Which is not the mysql server status parameter?

- A. Flush Tables.
- B. Open Tables.
- C. Slow Queries.
- D. Closed Tables.

ANSWER: D

141. Which mysql utility will take the host, username, and database combination and provide the user with the exact access rights for that user and why?

- A. mysqlaccess.
- B. mysqldataaccess.
- C. sqldataaccess.
- D. sqlaccess.

ANSWER: A

142. Which mysql utility reads logs generated by the MySQL server that relate to ISAM files?

- A. isamlog.
- B. isamreadlog.
- C. isam.
- D. isamchk.

ANSWER: A

143. Which mysql utility modifies the MySQL access rights tables and displays them in an easy to read form?

- A. mysqlreadaccess.
- B. mysqlaccess.
- C. sqldataaccess.
- D. sqlaccess.

ANSWER: B

144. The _____ is a buffer allocated to store recently used keys in mysql.

- A. buffer_key.
- B. key_buffer.
- C. keyused_buffer.
- D. usedkey_buffer.

ANSWER: B

145. Which of the following is used to delete an entire MYSQL database?

- A. mysql_drop_database.
- B. mysql_drop_entiredb.
- C. mysql_drop_db.
- D. mysql_drop_dbase.

ANSWER: C

146. Which is not a valid mysql data type?

- A. int.
- B. real.
- C. varchar2.
- D. mediumtext.

ANSWER: C

147. Which function returns the last value entered in the sequence?

- A. LAST_INSERT_ID.
- B. LAST_ID.
- C. RETURN_LAST_ID.
- D. LAST_ENTERED_ID.

ANSWER: A

148. The identical operator in PHP is

- A. =
- B. ==
- C. ===
- D. <>

ANSWER: C

149. The _____ command is used to install packages in Linux command line.

- A. sudo apt-get install
- B. sudo install
- C. sudo get install
- D. sudo apt-package install

ANSWER: A

150. PHP is _____

- A. client side Language
 - B. Server side Language
 - C. Database Language
 - D. Structured Language
- ANSWER: B

Staff Name
Umamaheswari S .